according to Regulation (EC) No. 1907/2006

ARALDITE® 2021-1 A

Version	Revision Date:	SDS Number:	Date of last issue: 19.05.2021	
1.2	06.10.2023	400000011015	Date of first issue: 22.12.2020	

Print Date 30.07.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier					
Trade name	: ARALDITE® 2021-1 A				
Unique Formula Identifier (UFI)	: 65F2-20S7-8009-K9RJ				

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the	: Adhesives
Substance/Mixture	

1.3 Details of the supplier of the safety data sheet

Company Address		Huntsman Advanced Materials (Europe) BV Everslaan 45 3078 Everberg Belgium
Telephone Telefax		+41 61 299 20 41 +41 61 299 20 40
E-mail address of person responsible for the SDS	:	Global_Product_EHS_AdMat@huntsman.com

1.4 Emergency telephone number

 Berlin: 0049 30 19 24 0 & 0049 30 30 68 6 7 11 Bonn: 0049 228 19 27 0 & 0049 228 28 7 3 32 11 Erfurt: 0049 361 73 07 30 Freiburg: 0049 761 16 24 0 Göttingen: 0049 51 19 24 0 & 0049 551 38 31 80
Homburg: 0049 6841 19 24 0
Mainz: 0049 6131 19 24 0 & 0049 6131 23 24 66
München: 0049 89 19 24 0
Nürnberg: 0049 911 39 8 2 45 1
EUROPE: +32 35 75 1234
France ORFILA: +33(0)145425959
ASIA: +65 6336-6011
China: +86 20 39377888
+86 532 83889090
India: + 91 22 42 87 5333
Australia: 1800 786 152
New Zealand: 0800 767 437
USA: +1 800-424-9300

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 2

H225: Highly flammable liquid and vapour.



according to Regulation (EC) No. 1907/2006

ARALDITE® 2021-1 A

Version 1.2	Revision Date: 06.10.2023	SDS Number 4000000110		Date of last issue: 19.05.2021 Date of first issue: 22.12.2020		
				Print Date 3	0.07.2024	
Skin irritation, Category 2				H315: Causes skin irritation.		
Serious eye damage, Category 1			H318: Causes serious eye damage.			
Skin sensitisation, Category 1			H317: May cause an allergic skin reaction.			
expo	Specific target organ toxicity - single exposure, Category 3, Respiratory system		H335: May cause respiratory irritation.			
	Long-term (chronic) aquatic hazard, Category 3		H412: effects	Harmful to aquatic life with long last	ing	

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word	:	Danger	
Hazard statements	:	 H225 Highly flammable liquid and vapour. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H335 May cause respiratory irritation. H412 Harmful to aquatic life with long lasting effects. 	
Precautionary statements	:	 Prevention: P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 Keep container tightly closed. P261 Avoid breathing mist or vapours. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection. 	
		Response: P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.	

Hazardous components which must be listed on the label:

methyl methacrylate methacrylic acid



according to Regulation (EC) No. 1907/2006

ARALDITE® 2021-1 A

Version	Revision Date:
1.2	06.10.2023

SDS Number: 400000011015 Date of last issue: 19.05.2021 Date of first issue: 22.12.2020

Print Date 30.07.2024

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature

: Adhesives and/or sealants

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concent ration (% w/w)
methyl methacrylate	80-62-6 201-297-1 607-035-00-6 01-2119452498-28	Flam. Liq. 2; H225 Skin Irrit. 2; H315 Skin Sens. 1; H317 STOT SE 3; H335 (Respiratory system)	>= 50 - < 70
methacrylic acid	79-41-4 201-204-4 607-088-00-5 01-2119463884-26	Acute Tox. 4; H302 Acute Tox. 4; H332 Acute Tox. 3; H311 Skin Corr. 1A; H314 Eye Dam. 1; H318 STOT SE 3; H335 (Respiratory system) specific concentration limit STOT SE 3; H335 >= 1 % Skin Corr. 1A; H314 >= 10 % Skin Irrit. 2; H315 1 - < 10 %	>= 5 - < 10

Hazardous components



according to Regulation (EC) No. 1907/2006

ARALDITE® 2021-1 A

Version 1.2

Revision Date: 06.10.2023

SDS Number: 40000011015

Date of last issue: 19.05.2021 Date of first issue: 22.12.2020

Print Date 30.07.2024

2,6-di-tert-butyl-p-cresol	128-37-0 204-881-4 01-2119555270-46	Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 1 - < 2,5
		M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	
α, α-dimethylbenzyl hydroperoxide	80-15-9 201-254-7 617-002-00-8 01-2119475796-19	Org. Perox. E; H242 Acute Tox. 4; H302 Acute Tox. 3; H331 Acute Tox. 4; H312 Skin Corr. 1B; H314 STOT RE 2; H373 Aquatic Chronic 2; H411 specific concentration limit Skin Corr. 1B; H314 >= 10 % Skin Irrit. 2; H315 3 - < 10 %	>= 0,25 - < 1
		Acute toxicity estimate	
For explanation of abbreviation		Acute oral toxicity: 382 mg/kg	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	 Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance. Treat symptomatically. Get medical attention if symptoms occur.
Protection of first-aiders	 First Aid responders should pay attention to self-protection and use the recommended protective clothing If potential for exposure exists refer to Section 8 for specific personal protective equipment. Avoid inhalation, ingestion and contact with skin and eyes.





according to Regulation (EC) No. 1907/2006

ARALDITE® 2021-1 A



Enriching lives through innovation

Version 1.2	Revision Date: 06.10.2023		DS Number: 00000011015	Date of last issue: 19.05.2021 Date of first issue: 22.12.2020	
				Print Date 30.07.202	
			suitable training	erous to the person providing aid to give	
lf inha	aled	:	If inhaled, remove to fresh air. Get medical attention if symptoms occur.		
In case of skin contact		:	If skin irritation persists, call a physician. If on skin, rinse well with water. If on clothes, remove clothes.		
In case of eye contact		:	Small amounts splashed into eyes can cause irreversible tissue damage and blindness. In the case of contact with eyes, rinse immediately with pler of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.		
If swallowed		:	Keep respiratory tract clear. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital.		
I.2 Most i	important symptoms a	nd e	effects, both acu	te and delayed	
Risks		:	Causes serious	llergic skin reaction.	
I.3 Indica	tion of any immediate	me	dical attention a	nd special treatment needed	
Treat	ment	:	Treat symptoma	atically.	
SECTION	N 5: Firefighting mea	isur	es		
5.1 Exting	guishing media				
Suita	ble extinguishing media	:	Water spray Alcohol-resistan Carbon dioxide Dry chemical		
Unsuitable extinguishing : Exercise caution when using a high volume water jet scatter and spread fire					

5.2 Special hazards arising from the substance or mixture

Specific hazards during	:	Do not allow run-off from fire fighting to enter drains or water
firefighting		courses.

according to Regulation (EC) No. 1907/2006

ARALDITE® 2021-1 A



Version 1.2	Revision Date: 06.10.2023		OS Number: 0000011015	Date of last issue: 19.05.2021 Date of first issue: 22.12.2020
				Print Date 30.07.2024
Haza prod	ardous combustion ucts	:	Carbon oxides Sulphur oxides Hydrogen chloride	9
5.3 Advid	e for firefighters			
•	cial protective equipment refighters	:	Wear self-contain necessary.	ed breathing apparatus for firefighting if
Spec meth	sific extinguishing nods	:		measures that are appropriate to local d the surrounding environment.
Further information :		must not be disch Fire residues and be disposed of in For safety reason separately in clos	ated fire extinguishing water separately. This arged into drains. contaminated fire extinguishing water must accordance with local regulations. s in case of fire, cans should be stored ed containments. y to cool fully closed containers.	

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	: Use personal protective equipment.
	Ensure adequate ventilation.
	Remove all sources of ignition.
	Evacuate personnel to safe areas.
	Refer to protective measures listed in sections 7 and 8.
	Beware of vapours accumulating to form explosive
	concentrations. Vapours can accumulate in low areas.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth,
		vermiculite) and place in container for disposal according to local / national regulations (see section 13).

6.4 Reference to other sections

For disposal considerations see section 13., See Section 1 for emergency contact information., For personal protection see section 8.

according to Regulation (EC) No. 1907/2006

ARALDITE® 2021-1 A

Version 1.2 06.10.2023

Revision Date:

SDS Number: 40000011015



Enriching lives through innovation

Date of last issue: 19.05.2021 Date of first issue: 22.12.2020

Print Date 30.07.2024

SECTION 7: Handling and storage

7.1 Precautions for	or safe handling		
Advice on saf	e handling	:	Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and sensitisation of susceptible persons. Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product. Do not breathe vapours/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Open drum carefully as content may be under pressure. To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and national regulations.
Advice on pro fire and explo	0	:	Do not spray on a naked flame or any incandescent material. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Use only explosion-proof equipment. Keep away from open flames, hot surfaces and sources of ignition.
Hygiene meas	sures	:	When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2 Conditions for	r safe storage, in	Iclu	uding any incompatibilities
Requirements areas and cor	for storage	:	No smoking. Keep container tightly closed in a dry and well- ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Keep in properly labelled containers.
Advice on cor	nmon storage	:	For incompatible materials please refer to Section 10 of this SDS.
Storage class	(TRGS 510)	:	3
			3
Recommende temperature	ed storage	:	2 - 8 °C
Further inform storage stabili		:	Stable under normal conditions.
7.3 Specific end ι	ise(s)		
Specific use(s	.,	:	No data available

according to Regulation (EC) No. 1907/2006

ARALDITE® 2021-1 A

Version 1.2 Revision Date: 06.10.2023

SDS Number: 400000011015



Enriching lives through innovation

Date of last issue: 19.05.2021 Date of first issue: 22.12.2020

Print Date 30.07.2024

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
methyl methacrylate	80-62-6	TWA	50 ppm	2009/161/EU
	Further inform	ation: Indicative		
		STEL	100 ppm	2009/161/EU
	Further inform	ation: Indicative		
		AGW	50 ppm 210 mg/m3	DE TRGS 900
	Peak-limit: ex	cursion factor (categ	ory): 2;(I)	
			compliance with the OEL ar	nd biological
			f harming the unborn child	
methacrylic acid	79-41-4	AGW	50 ppm 180 mg/m3	DE TRGS 900
	Peak-limit: ex	cursion factor (categ	ory): 2;(I)	
			compliance with the OEL ar f harming the unborn child	nd biological
2,6-di-tert-butyl-p- cresol	128-37-0	AGW (Vapour and aerosols, inhalable fraction)	10 mg/m3	DE TRGS 900
	Peak-limit: excursion factor (category): 4;(II)			
	Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child			nd biological
Silicon, amorphous	112945-52- 5	AGW (Inhalable fraction)	4 mg/m3 (Silica)	DE TRGS 900
	Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child			

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
2,6-di-tert-butyl-p- cresol	Workers	Inhalation	Long-term systemic effects	3,5 mg/m3
	Workers	Dermal	Long-term systemic effects	0,5 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	0,86 mg/m3
	Consumers	Dermal	Long-term systemic effects	0,25 mg/kg bw/day
	Consumers	Oral	Long-term systemic effects	0,25 mg/kg bw/day
methacrylic acid	Workers	Inhalation	Long-term systemic effects	29,6 mg/m3
	Workers	Inhalation	Long-term local effects	88 mg/m3

according to Regulation (EC) No. 1907/2006

ARALDITE® 2021-1 A

Version 1.2

06.10.2023

SDS Number: 40000011015

Print Date 30.07.2024

	Workers	Dermal	Long-term systemic effects	4,25 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	6,3 mg/m3
	Consumers	Inhalation	Long-term local effects	6,55 mg/m3
	Consumers	Dermal	Long-term systemic effects	2,55 mg/kg bw/day
Silicon, amorphous	Workers	Inhalation	Long-term systemic effects	4 mg/m3

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value			
2,6-di-tert-butyl-p-cresol	Fresh water	0,199 µg/l			
	Remarks: Assessment Factors				
	Marine water	0,02 µg/l			
	Remarks: Assessment Factors				
	Sewage treatment plant	0,17 mg/l			
	Remarks: Assessment Factors				
	Fresh water sediment	0,0996 mg/kg dry weight (d.w.)			
	Remarks:Equilibrium method				
	Marine sediment	0,00996 mg/kg dry weight (d.w.)			
	Remarks:Equilibrium method				
	Soil	0,04769 mg/kg			
	Remarks:Equilibrium method	dry weight (d.w.)			
	Oral	8,33 mg/kg			
methacrylic acid	Fresh water	0,82 mg/l			
	Remarks:Assessment Factors	· · · · ·			
	Marine water	0,82 mg/l			
	Remarks: Assessment Factors				
	Freshwater - intermittent	0,82 mg/l			
	Remarks: Assessment Factors				
	Sewage treatment plant	10 mg/l			
	Remarks: Assessment Factors	·			
	Soil	1,2 mg/kg			
	Remarks:Equilibrium method				

8.2 Exposure controls

Personal protective equipme	nt	
Eye/face protection	Eye wash bottle with pure water Tightly fitting safety goggles Wear face-shield and protective suit for abnormal processin problems.	g
Hand protection Material Break through time Glove thickness	butyl-rubber 60 min 0,7 mm	



Revision Date:

according to Regulation (EC) No. 1907/2006

ADAL DITES 2024 4 A

HUNTSMAN Enriching lives through innovation

ARALD	ITE® 2021-1 A			
Version 1.2	Revision Date: 06.10.2023		DS Number: 0000011015	Date of last issue: 19.05.2021 Date of first issue: 22.12.2020
				Print Date 30.07.2024
Remarks : Chemical-resistant, impervious gloves com approved standard should be worn at all tin chemical products if a risk assessment indi necessary. The suitability for a specific wor discussed with the producers of the protect The selected protective gloves have to satis specifications of Regulation (EU) 2016/425 EN 374 derived from it. Gloves should be d replaced if there is any indication of degrad breakthrough. Take note of the information producer concerning permeability and brea and of special workplace conditions (mecha duration of contact).		d should be worn at all times when handling a if a risk assessment indicates this is uitability for a specific workplace should be producers of the protective gloves. ective gloves have to satisfy the tegulation (EU) 2016/425 and the standard om it. Gloves should be discarded and a any indication of degradation or chemical ke note of the information given by the ing permeability and break through times, rkplace conditions (mechanical strain,		
Skin a	and body protection	:		ng ection according to the amount and ne dangerous substance at the work place.
Respiratory protection :		:	ventilation is provi	otection unless adequate local exhaust ded or exposure assessment demonstrates e within recommended exposure guidelines
			In the case of vap approved filter.	our formation use a respirator with an
			ventilation is provi that exposures are	otection unless adequate local exhaust ded or exposure assessment demonstrates within recommended exposure guidelines conform to EN 14387
Filt	ter type	:	Organic vapour ty	pe (A)
			Combined particu	lates and organic vapour type (A-P)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	: paste
Colour	: white
Odour	: acrylic-like
Odour Threshold	: No data is available on the product itself.
Melting point/freezing point	: No data is available on the product itself.
Boiling point	: >100 °C

according to Regulation (EC) No. 1907/2006

ARALDITE® 2021-1 A

Vers 1.2	sion	Revision Date: 06.10.2023		S Number: 000011015	Date of last issue: 19.05.2021 Date of first issue: 22.12.2020
					Print Date 30.07.2024
	Flamma	ability (solid, gas)	:	No data is availat	ble on the product itself.
	Lower explosion limit / Lower flammability limit Upper explosion limit / Upper flammability limit		:	No data is availat	ble on the product itself.
			:	No data is availat	ble on the product itself.
	Flash p	oint	:	10 °C Method: closed c	up
	Auto-ig	nition temperature	:	No data is availat	ble on the product itself.
	Decom	position temperature	:	No data is availat	ble on the product itself.
	рН		:	substance/mixtur	e is non-soluble (in water)
	Viscosi Visco	ty osity, dynamic	:	30 000 mPa.s (25 thixotropic	5 °C)
	Solubili Wate	ty(ies) er solubility	:	insoluble	
	Solul	bility in other solvents	:	No data is availat	ble on the product itself.
	Partition octanol	n coefficient: n- /water	:	No data is availal	ble on the product itself.
	Vapour	pressure	:	No data is availat	ble on the product itself.
	Density	,	:	No data is availat	ble on the product itself.
	Relative	e density	:	1,01 - 1,02	
	Relative	e vapour density	:	No data is availat	ble on the product itself.
	Particle	characteristics	:	No data is availat	ble on the product itself.

9.2 Other information

No data is available on the product itself.

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions



according to Regulation (EC) No. 1907/2006

ARALDITE® 2021-1 A



Enriching lives through innovation

Version 1.2	Revision Date: 06.10.2023	SDS Number: 400000011015	Date of last issue: 19.05.2021 Date of first issue: 22.12.2020		
			Print Date 30.07.2024		
Hazardous reactions		: Vapours may	form explosive mixture with air.		
10.4 Cond	litions to avoid				
Conditions to avoid		: Heat, flames a	and sparks.		
10.5 Incompatible materials					
Materials to avoid		: Reducing agents Strong oxidizing agents Heavy metal salts			
		None known.			
10.6 Hazardous decomposition products					
No decomposition if stored a Hazardous decomposition products			9		

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity	
Not classified due to lack of	data.
Product:	
Acute oral toxicity	: Acute toxicity estimate: > 2 000 mg/kg Method: Calculation method
Acute inhalation toxicity	 Acute toxicity estimate: > 20 mg/l Exposure time: 4 h Test atmosphere: vapour Method: Calculation method
Acute dermal toxicity	: Acute toxicity estimate: > 2 000 mg/kg Method: Calculation method
Components:	
methyl methacrylate:	
Acute oral toxicity	: LD50 (Rat): 7 900 - 9 400 mg/kg
Acute inhalation toxicity	 LC50 (Rat, male and female): 29,8 mg/l Exposure time: 4 h Test atmosphere: vapour Method: Directive 67/548/EEC, Annex V, B.2.
Acute dermal toxicity	: LD50 (Rabbit, male): > 5 000 mg/kg Method: OECD Test Guideline 402
methacrylic acid:	
Acute oral toxicity	: LD50 (Rat, male): 1 320 mg/kg

according to Regulation (EC) No. 1907/2006

ARALDITE® 2021-1 A



/ersion 1.2	Revision Date: 06.10.2023	SDS Num 40000001		Date of last issue: 19.05.2021 Date of first issue: 22.12.2020	
				Print Date 30.07.2024	
		GLP: Asses	no	est Guideline 401	
Acute	Acute inhalation toxicity		 LC50 (Rat, male and female): 7,1 mg/l Exposure time: 4 h Test atmosphere: vapour Method: OECD Test Guideline 403 GLP: yes Assessment: The component/mixture is moderat short term inhalation. 		
Acute	e dermal toxicity	GLP: Asses	no	00 - 1 000 mg/kg e component/mixture is toxic after single	
2.6-di	i-tert-butyl-p-cresol:				
	oral toxicity	Metho	od: OECD T ssment: The	and female): > 6 000 mg/kg est Guideline 401 e substance or mixture has no acute oral	
Acute	e dermal toxicity	Metho	od: OECD T ssment: The	and female): > 2 000 mg/kg est Guideline 402 substance or mixture has no acute dermal	
α. α-α	dimethylbenzyl hydro	peroxide:			
	oral toxicity	-	(Rat): 382	mg/kg	
				imate: 382 mg/kg ion method	
Acute	inhalation toxicity	: Asses inhala		e component/mixture is toxic after short term	
Acute	e dermal toxicity		ssment: The contact wit	e component/mixture is moderately toxic after the skin.	
-	corrosion/irritation es skin irritation.				
<u>Com</u>	oonents:				
meth	yl methacrylate:				
Speci Metho Resu	bd		it S 870.2500 rritation)	
meth	acrylic acid:				
Speci	•	: Rabbi	it		

according to Regulation (EC) No. 1907/2006

ARALDITE® 2021-1 A

ARALDITE® 2021-1 A								
Version 1.2	Revision Date: 06.10.2023	SDS Number: 400000011015	Date of last issue: 19.05.2021 Date of first issue: 22.12.2020					
			Print Date 30.07.2024					
Asses Metho Resu GLP		: OECD Test Gui	 Causes severe burns. OECD Test Guideline 404 Extremely corrosive and destructive to tissue. yes 					
2.6-d	i-tert-butyl-p-cresol:							
Speci	es ssment od	: OECD Test Gui	 Rabbit No skin irritation OECD Test Guideline 404 No skin irritation 					
α, α-α	dimethylbenzyl hydro	peroxide:						
Resu	lt	: Causes burns.						
Sorio	ua ava damaga/ava i	rritation						
	us eye damage/eye i es serious eye damag							
	oonents:							
	acrylic acid:							
Speci	es ssment od	 Rabbit Risk of serious damage to eyes. Draize Test Irreversible effects on the eye 						
GLP		: no						
2 6-d	2,6-di-tert-butyl-p-cresol:							
Speci		: Rabbit						
Asses	ssment	: No eye irritation						
Metho			: OECD Test Guideline 405					
Resu	I	: No eye irritation						
α, α-α	dimethylbenzyl hydro	operoxide:						
	ssment	: Risk of serious of						
Resu	It	: Irreversible effec	cts on the eye					
Resp	iratory or skin sensit	isation						
Skin	sensitisation							
Mayo	cause an allergic skin	reaction.						
-	Respiratory sensitisation Not classified due to lack of data.							
Com	oonents:							
meth	yl methacrylate:							
Speci Asses Metho	ssment od	: OECD Test Gui						
Resu	IT	: May cause sens	itisation by skin contact.					



according to Regulation (EC) No. 1907/2006

ARALDITE® 2021-1 A

ersion 2	Revision Date: 06.10.2023	SDS Number: 400000011015	Date of last issue: 19.05.2021 Date of first issue: 22.12.2020				
			Print Date 30.07.2024				
Test Expos Speci	sure routes les ssment od	: OECD Test G	e sensitisation on laboratory animals.				
2,6-d i	i-tert-butyl-p-cresol:						
Expos Speci Resul		: Skin : Humans : Does not cau	se skin sensitisation.				
	cell mutagenicity lassified due to lack o	f data.					
Com	oonents:						
meth	yl methacrylate:						
Test sys Method: Result: methacrylic acid:		Test system: Method: OEC	Test Type: Microbial mutagenesis assay (Ames test) Test system: Salmonella typhimurium Method: OECD Test Guideline 471 Result: negative				
Geno	toxicity in vitro	Test system: Metabolic act	verse mutation assay Salmonella typhimurium ivation: with and without metabolic activation D Test Guideline 471 ive				
Geno	toxicity in vivo	Exposure tim Dose: 0.4, 1. Method: OEC	(male) matic oute: Inhalation				
		Species: Mou Application R Exposure tim Dose: 0.405,	oute: Inhalation e: 6 h 4.05 and 36.45 mg/L CD Test Guideline 478				
ጋር ሓ	tort-butul-n araach						
	i-tert-butyl-p-cresol: toxicity in vitro		verse mutation assay				

Metabolic activation: with and without metabolic activation



according to Regulation (EC) No. 1907/2006

ARALDITE® 2021-1 A



rsion	Revision Date: 06.10.2023	SDS Number: 400000011015	Date of last issue: 19.05.2021 Date of first issue: 22.12.2020
			Print Date 30.07.202
		Result: negative	
Genotoxicity in vivo			mosome aberration test in vitro tion: with and without metabolic activation
		: Application Rout Dose: 75 mg/kg Result: negative	e: Intraperitoneal injection
		Application Rout Exposure time: 9 Dose: ca 750 mg Result: negative	9 Months g/kg
	nogenicity lassified due to lack of	data.	
Comp	oonents:		
meth	yl methacrylate:		
Expos Dose	cation Route sure time lency of Treatment EL	 Rat, male and fe Oral 2 Years 6, 60, 2000 ppm once daily 90,3 mg/kg bw/c negative 	
metha	acrylic acid:		
Speci Applic Expos	es cation Route sure time lency of Treatment EL	 Rat, male and fe inhalation (vapore) 102 weeks 5 days/week >= 2,05 mg/kg b OECD Test Guide 	ur) ody weight
Expos Dose	cation Route sure time lency of Treatment L	Mouse, male an inhalation (vapo 102 weeks ca. 2.05 and 4.1 5 days/week ca. 2,05 mg/l OECD Test Guid	ur) mg/L
2 6-di	i-tert-butyl-p-cresol:		
Speci	es cation Route	: Rat, male and fe : Oral : negative	emale
Repro	oductive toxicity		
-	lassified due to lack of	data.	

according to Regulation (EC) No. 1907/2006

ARALDITE® 2021-1 A

Version Revision Date: SDS Number: Date of last issue: 19.05.2021 400000011015 1.2 06.10.2023 Date of first issue: 22.12.2020 Print Date 30.07.2024 **Components:** methyl methacrylate: Effects on foetal Species: Rat development **Application Route: Inhalation** Dose: 99, 304, 1178 ppm Teratogenicity: NOAEC F1: 8 300 mg/m³ Embryo-foetal toxicity: NOAEC F1: 8 300 mg/m³ Method: OECD Test Guideline 414 Result: No teratogenic effects methacrylic acid: Effects on fertility Test Type: Two-generation study ÷ Species: Rat, male and female **Application Route: Oral** Dose: 0, 50, 150, 450 mg/kg/day General Toxicity - Parent: NOAEL: 50 mg/kg body weight Fertility: NOAEL F1: 400 mg/kg body weight Symptoms: Reduced body weight Method: OECD Test Guideline 416 GLP: yes Effects on foetal Test Type: Pre-natal Species: Rat, female development **Application Route: Inhalation** Dose: 0, 50, 100, 200 or 300 ppm Duration of Single Treatment: 14 d Frequency of Treatment: 7 days/week General Toxicity Maternal: NOAEL: 200 ppm Developmental Toxicity: NOAEL: >= 300 ppm Embryo-foetal toxicity: NOAEC F1: 300 ppm Method: OECD Test Guideline 414 Result: No effects on fertility and early embryonic development were detected. Test Type: Pre-natal Species: Rabbit, male and female **Application Route: Oral** Dose: 50, 150, 450 milligram per kilogram Duration of Single Treatment: 23 d Frequency of Treatment: 7 days/week General Toxicity Maternal: NOAEL: 50 mg/kg body weight Developmental Toxicity: NOAEL F1: 450 mg/kg body weight Result: No effects on fertility and early embryonic development were detected. 2,6-di-tert-butyl-p-cresol: Effects on fertility Test Type: Two-generation study Species: Rat, male and female **Application Route: Oral** Dose: 25/100/500 mg/kg bw/day General Toxicity - Parent: NOAEL: 100 mg/kg body weight General Toxicity F1: NOAEL: 25 mg/kg body weight

Result: negative



according to Regulation (EC) No. 1907/2006

ARALDITE® 2021-1 A

Version 1.2	Revision Date: 06.10.2023	SDS Number: 400000011015	Date of last issue: 19.05.2021 Date of first issue: 22.12.2020				
			Print Date 30.07.2024				

Effects on foetal : Test Type: Pre-natal development : Species: Mouse, female Application Route: Oral Duration of Single Treatment: 7 d General Toxicity Maternal: NOAEL: 240 mg/kg body weight Developmental Toxicity: NOAEL: 800 mg/kg body weight Target Organs: spleen, Kidney

STOT - single exposure

May cause respiratory irritation.

Components:

methyl methacrylate:

Exposure routes	:	Inhalation
Target Organs	:	Respiratory Tract
Assessment	:	May cause respiratory irritation.

methacrylic acid:

Exposure routes	:	Inhalation
Target Organs	:	Respiratory Tract
Assessment	:	The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

STOT - repeated exposure

Not classified due to lack of data.

Components:

α, α-dimethylbenzyl hydroperoxide:

Exposure routes	:	Inhalation
Target Organs	:	Lungs
Assessment	:	The substance or mixture is classified as specific target organ
		toxicant, repeated exposure, category 2.

Repeated dose toxicity

Components:

methyl methacrylate:

Species	:	Rat, male and female
NOAEL	:	124,1 mg/kg
Application Route	:	oral (drinking water)
Exposure time	:	2 years
Number of exposures	:	daily
Dose	:	6, 60, 2000 ppm

methacrylic acid:

Species	:	Rat, male and female
NOEC	:	352 - 1232 mg/m3
Application Route	:	inhalation (vapour)
Test atmosphere	:	vapour



according to Regulation (EC) No. 1907/2006

AF



Enriching lives through innovation

ARALD	DITE® 2021-1 A		
Version 1.2	Revision Date: 06.10.2023	SDS Number: 400000011015	Date of last issue: 19.05.2021 Date of first issue: 22.12.2020
			Print Date 30.07.2024
Numb Dose		: 90 d : 6 h : 70/352/1232 mg : 5 days/week : OECD Test Gui : yes	-
2,6-di	-tert-butyl-p-cresol:		
	EL cation Route sure time	 Pig, male and fe >= 61 mg/kg oral (feed) daily Chronic toxicity 	
Aspir	ation toxicity		
	assified due to lack of		
11.2 Infor	mation on other haza	rds	
Endo	crine disrupting prop	erties	
<u>Produ</u> Asses	<u>uct:</u> ssment	considered to h to REACH Artic	mixture does not contain components ave endocrine disrupting properties according le 57(f) or Commission Delegated regulation or Commission Regulation (EU) 2018/605 at or higher
-	r ience with human ex Ita available	posure	
	c ology, Metabolism, D ata available	istribution	

Neurological effects

No data available

Further information

Product:

Remarks

Solvents may degrease the skin. :

SECTION 12: Ecological information

12.1 Toxicity

Components:

methyl methacrylate:

Toxicity to fish

: LC50 : 191 mg/l Exposure time: 96 h

LC50 (Oncorhynchus mykiss (rainbow trout)): > 79 mg/l

according to Regulation (EC) No. 1907/2006

ARALDITE® 2021-1 A

HUNTSMAN

Version 1.2	Revision Date: 06.10.2023	-	OS Number: 0000011015	Date of last issue: 19.05.2021 Date of first issue: 22.12.2020
				Print Date 30.07.2024
			Exposure time: 96 Test Type: flow-th Method: Fish Ear	
	ty to daphnia and other ic invertebrates	:	EC50 : 69 mg/l Exposure time: 48	3 h
Toxicit plants	ty to algae/aquatic	:	EC50 : > 110 mg/ Exposure time: 72	
aquati	ty to daphnia and other ic invertebrates nic toxicity)	:	NOEC: 37 mg/l Exposure time: 21 Species: Daphnia Test Type: flow-th Method: OECD T	magna (Water flea) rough test
metha	acrylic acid:			
	ty to fish	:	End point: mortali Exposure time: 96 Test Type: flow-th Test substance: F Method: Fish Acu GLP: yes	h rough test resh water
	ty to daphnia and other ic invertebrates	:	End point: Immob Exposure time: 48 Test Type: flow-th Analytical monitor Test substance: F	3 h rough test ing: yes
Toxicit plants	ty to algae/aquatic	:	ErC50 (Selenastr Exposure time: 72 Test Type: static Analytical monitor Test substance: F Method: OECD T GLP: yes	est ing: yes resh water
			NOEC (Selenastr Exposure time: 72 Test Type: static Analytical monitor Test substance: F Method: OECD T GLP: yes	est ing: yes resh water
Toxicit	ty to microorganisms	:	EC50 (Pseudomo Exposure time: 16	nas putida): 270 mg/l 6,5 h

according to Regulation (EC) No. 1907/2006

ARALDITE® 2021-1 A



Versi 1.2	ion	Revision Date: 06.10.2023		9S Number: 0000011015	Date of last issue: 19.05 Date of first issue: 22.12	
					Р	rint Date 30.07.2024
				Test Type: static t Analytical monitor Test substance: F Method: DIN 38 4 GLP: yes	ing: no resh water	
	Toxicity toxicity)	to fish (Chronic	:	NOEC: 10 mg/l Exposure time: 35 Species: Brachyd Test Type: flow-th Analytical monitor Test substance: F Method: OECD Te GLP: yes	anio rerio (zebrafish) rough test ing: yes resh water	
;	aquatic	to daphnia and other invertebrates c toxicity)	:	NOEC: 53 mg/l Exposure time: 21 Species: Daphnia Test Type: flow-th Analytical monitor Test substance: F Method: OECD Te GLP: yes	magna (Water flea) rough test ing: yes resh water	
;	2.6-di-t	ert-butyl-p-cresol:				
	Toxicity		:	LC50 (Fish): 0,199 Exposure time: 96 Test substance: F Method: QSAR	ih i	
		to daphnia and other invertebrates	:	EC50 (Daphnia m End point: Immob Exposure time: 48 Test Type: static t Test substance: F Method: OECD Te	s h est resh water	ng/l
	Toxicity plants	to algae/aquatic	:	EC50 (Pseudokiro mg/l Exposure time: 72 Test Type: static t Test substance: F Method: OECD Te	est resh water	een algae)): > 0,24
				NOEC (Pseudokir mg/l Exposure time: 72 Test Type: static t Test substance: F Method: OECD Te	est resh water	een algae)): 0,24
	M-Facto toxicity)	or (Acute aquatic	:	1		

according to Regulation (EC) No. 1907/2006

ARALDITE® 2021-1 A



Enriching lives through innovation

Version 1.2	Revision Date: 06.10.2023		OS Number: 0000011015	Date of last issue: 19.05.2021 Date of first issue: 22.12.2020
				Print Date 30.07.2024
Toxic	ity to microorganisms	:	ErC50 (activate Exposure time: Test Type: station	
	Toxicity to fish (Chronic toxicity)		Test substance:	30 d s latipes (Orange-red killifish)
			NOEC: >= 23,8 Exposure time: Species: Fish Test substance:	70 d
aquat	ity to daphnia and other tic invertebrates onic toxicity)	:	Test substance:	21 d ia magna (Water flea)
			Test substance:	21 d ia magna (Water flea)
M-Fa toxicit	ctor (Chronic aquatic ty)	:	1	
α, α-α	dimethylbenzyl hydrop	ero	xide:	
Toxic	ity to fish	:	Exposure time: Test Type: sem Analytical monit	-static test
	ity to daphnia and other tic invertebrates	:	Exposure time: Test Type: static Analytical monit	c test
Toxic plants	tity to algae/aquatic s	:	Exposure time: Test Type: static Analytical monit	c test
12.2 Persi	istence and degradabil	ity		
<u>Com</u>	ponents:			
meth	yl methacrylate:			
D'. !				

Biodegradability

: Result: Readily biodegradable.

according to Regulation (EC) No. 1907/2006

ARALDITE® 2021-1 A



Version 1.2	Revision Date: 06.10.2023	SDS Number: 400000011015	Date of last issue: 19.05.2021 Date of first issue: 22.12.2020
			Print Date 30.07.2024
		Biodegradatic Exposure time	
meth	acrylic acid:		
Biode	egradability	Biodegradatic Exposure time	ivated sludge n: 3 mg/l ly biodegradable. nn: 86 %
2,6-d	i-tert-butyl-p-cresol:		
Biode	egradability	: Result: Not bi	odegradable
α, α-	dimethylbenzyl hydrop	eroxide:	
	egradability		adily biodegradable.
12.3 Bioa	ccumulative potential		
Com	ponents:		
meth	yl methacrylate:		
Bioad	ccumulation	: Bioconcentrat	ion factor (BCF): 3
	ion coefficient: n- ol/water	: log Pow: 1,38	
meth	acrylic acid:		
	ion coefficient: n- ol/water	: log Pow: 0,93 pH: 2,2	(22 °C)
2,6-d	i-tert-butyl-p-cresol:		
Bioad	ccumulation	Exposure time	ion factor (BCF): 330 - 1 800
	ion coefficient: n- ol/water	: log Pow: 5,2	
12.4 Mobi	ility in soil		
<u>Com</u>	ponents:		
2,6-d	i-tert-butyl-p-cresol:		
	bution among onmental compartments	: Koc: 8183	

according to Regulation (EC) No. 1907/2006

ARALDITE® 2021-1 A

Version 1.2	Revision Date: 06.10.2023	SDS Number: 400000011015	Date of last issue: 19.05.2021 Date of first issue: 22.12.2020
			Print Date 30.07.2024
12.5 Resu	Ilts of PBT and vPvB	assessment	
Prod	uct:		
Asse	ssment	to be either pe	e/mixture contains no components considered rsistent, bioaccumulative and toxic (PBT), or and very bioaccumulative (vPvB) at levels of
12.6 Endo	ocrine disrupting pro	perties	
Prod	uct:		
Asse	ssment	considered to I to REACH Arti	/mixture does not contain components have endocrine disrupting properties according cle 57(f) or Commission Delegated regulation 0 or Commission Regulation (EU) 2018/605 at

12.7 Other adverse effects

Pr	od	u	С	t	:
-					

Additional ecological information	:	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Harmful to aquatic life with long lasting effects.
		harming to aquatic me with long lasting enects.

levels of 0.1% or higher

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	re D D	Dispose of contents and container in accordance with all local, egional, national and international regulations. To not dispose of waste into sewer. To not contaminate ponds, waterways or ditches with hemical or used container.
Contaminated packaging	D D	impty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

SECTION 14: Transport information

14.1 UN number or ID number		
IMDG	:	UN 1133
ΙΑΤΑ	:	UN 1133
14.2 UN proper shipping name		
ADN	:	ADHESIVES () (METHYL METHACRYLATE, METHACRYLIC ACID)
ADR	:	ADHESIVES ()



according to Regulation (EC) No. 1907/2006

ARALDITE® 2021-1 A

HUNTSMAN

Enriching lives through innovation

Version 1.2	Revision Date: 06.10.2023		0S Number: 0000011015	Date of last issue: 19.05.2021 Date of first issue: 22.12.2020		
				Print Date 30.07.2024		
RI	D	:	(METHYL METH, ADHESIVES ()	ACRYLATE, METHACRYLIC ACID)		
				ACRYLATE, METHACRYLIC ACID)		
IM	DG	:	ADHESIVES			
			() (METHYL METHACRYLATE, METHACRYLIC ACID)			
IA	ТА	:	Adhesives			
			() (METHYL METH)	ACRYLATE, METHACRYLIC ACID)		
14.3 Tr	ansport hazard class(es)		Υ.	- , ,		
			Class	Subsidiary risks		
AD	DN	:	3			
AD	DR	:	3			
RI	D	:	3			
IM	DG	:	3			
IA	ТА	:	3			
14.4 Pa	acking group					
Cla Ha	DN Icking group assification Code Izard Identification Number bels	:	II F1 33 3			
AE Pa Cla Ha La		:	II F1 33 3 (D/E)			
Cla Ha	D acking group assification Code azard Identification Number bels	: :	ll F1 33 3			
IM Pa La	DG Icking group bels nS Code	:	II 3 F-E, S-D			
Pa air Pa Pa	TA (Cargo) icking instruction (cargo craft) icking instruction (LQ) icking group bels	:	364 Y341 II Flammable Liquid	ds		
	TA (Passenger) acking instruction	:	353			

according to Regulation (EC) No. 1907/2006

ARALDITE® 2021-1 A



Enriching lives through innovation

Version 1.2	Revision Date: 06.10.2023	SDS Number: 400000011015	Date of last issue: 19.05.2021 Date of first issue: 22.12.2020
			Print Date 30.07.2024
(nass	enger aircraft)		

(passenger aircraft)	
Packing instruction (LQ)	: Y341
Packing group	: 11
Labels	: Flammable Liquids

14.5 Environmental hazards

ADN Environmentally hazardous	:	no	
ADR Environmentally hazardous	:	no	
RID Environmentally hazardous	:	no	
IMDG Marine pollutant	:	no	

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - List of substances subje (Annex XIV)	ect to authorisation	:	Not applicable
REACH - Candidate List of Subst Concern for Authorisation (Article	, ,	:	This product does not contain substances of very high concern.
REACH - Restrictions on the mar the market and use of certain dar mixtures and articles (Annex XVII	ngerous substances,	:	Conditions of restriction for the following entries should be considered: Number on list 75, 3 If you intend to use this product as
			tattoo ink, please contact your vendor.
Seveso III: Directive 2012/18/EU European Parliament and of the C control of major-accident hazards dangerous substances.	Council on the	FLA	MMABLE LIQUIDS
Water hazard class : (Germany)	WGK 1 slightly hazard Classification accordin		

according to Regulation (EC) No. 1907/2006

ARALDITE® 2021-1 A

Version	Revision Date:	SDS Number:	Date of last issue: 19.05.2021	
1.2	06.10.2023	400000011015	Date of first issue: 22.12.2020	

Print Date 30.07.2024

Water hazard class	:	WGK 1 slightly hazardous to water
(Germany)		Classification according to AwSV, Annex 1 (5.2)

Other regulations:

Take note of Law on the protection of mothers at work, in education and in studies (Maternity Protection Act - MuSchG).

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

The components of this product are reported in the following inventories:					
DSL	: All components of this product are on the Canadian DSL				
AIIC	: On the inventory, or in compliance with the inventory				
ENCS	: On the inventory, or in compliance with the inventory				
KECI	: On the inventory, or in compliance with the inventory				
PICCS	: On the inventory, or in compliance with the inventory				
IECSC	: On the inventory, or in compliance with the inventory				
TCSI	: On the inventory, or in compliance with the inventory				
TSCA	: All substances listed as active on the TSCA inventory				

Inventories

AICS (Australia), AIIC (Australia), DSL (Canada), IECSC (China), ENCS (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (United States of America (USA))

15.2 Chemical safety assessment

Chemical Safety Assessments for all substances in this product are either Complete or Not applicable.

SECTION 16: Other information

Full text of H-Statements

H225	:	Highly flammable liquid and vapour.
H242	:	Heating may cause a fire.



according to Regulation (EC) No. 1907/2006

ARALDITE® 2021-1 A

ARALDITE® 2021-1 A						
Version 1.2	Revision Date: 06.10.2023		Number: 00011015	Date of last issue: 19.05.2021 Date of first issue: 22.12.2020		
				Print Date 30.07.2024		
H302 H311 H312 H314 H315 H317 H318 H331 H332 H335 H373 H400 H410		: T H C C : C C : C M : C T : H : M : 0 : V	 Harmful if swallowed. Toxic in contact with skin. Harmful in contact with skin. Causes severe skin burns and eye damage. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Toxic if inhaled. Harmful if inhaled. May cause respiratory irritation. May cause damage to organs through prolonged or repeat exposure. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. 			
H411				fe with long lasting effects.		
Full tex	xt of other abbrevia	ations				
Acute T Aquatic Aquatic Eye Da Flam. L Org. Pe Skin Co Skin Irr Skin Se STOT I STOT S 2009/10	c Acute c Chronic am. Liq. erox. orr. orr. it. ens. RE SE	: LSFCSSSSE a ir	 Acute toxicity Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard Serious eye damage Flammable liquids Organic peroxides Skin corrosion Skin irritation Skin sensitisation Specific target organ toxicity - repeated exposure Specific target organ toxicity - single exposure Europe. COMMISSION DIRECTIVE 2009/161/EU establishing a third list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Commission Directive 2000/39/EC Germany. TRGS 900 - Occupational exposure limit values. Limit Value - eight hours Short term exposure limit Time Weighted Average 			
2009/1 2009/1 DE TR	GS 900 61/EU / TWA 61/EU / STEL GS 900 / AGW	: G : L : S				
	r information fication of the mixt	uro-		Classification procedure:		
		иге. H225		Based on product data or assessment		
Flam. L Skin Irr	-	н225 H315		Calculation method		
Eye Da		H318		Calculation method		
Skin Se		H317		Calculation method		
STOT		H335		Calculation method		
	c Chronic 3	H412		Calculation method		

The information and recommendations in this publication are to the best of our knowledge, information and belief accurate at the date of publication, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE.

according to Regulation (EC) No. 1907/2006

ARALDITE® 2021-1 A

Version Revis 1.2 06.10

Revision Date: 06.10.2023

SDS Number: 400000011015 Date of last issue: 19.05.2021 Date of first issue: 22.12.2020

Print Date 30.07.2024

IN ALL CASES, IT IS THE RESPONSIBILITY OF THE USER TO DETERMINE THE APPLICABILITY OF SUCH INFORMATION AND RECOMMENDATIONS AND THE SUITABILITY OF ANY PRODUCT FOR ITS OWN PARTICULAR PURPOSE.

THE PRODUCT MAY PRESENT HAZARDS AND SHOULD BE USED WITH CAUTION. WHILE CERTAIN HAZARDS ARE DESCRIBED IN THIS PUBLICATION, NO GUARANTEE IS MADE THAT THESE ARE THE ONLY HAZARDS THAT EXIST.

Hazards, toxicity and behaviour of the products may differ when used with other materials and are dependent upon the manufacturing circumstances or other processes. Such hazards, toxicity and behaviour should be determined by the user and made known to handlers, processors and end users.

The trademarks above are the property of Huntsman Corporation or an affiliate thereof.

NO PERSON OR ORGANIZATION EXCEPT A DULY AUTHORIZED HUNTSMAN EMPLOYEE IS AUTHORIZED TO PROVIDE OR MAKE AVAILABLE DATA SHEETS FOR HUNTSMAN PRODUCTS. DATA SHEETS FROM UNAUTHORIZED SOURCES MAY CONTAIN INFORMATION THAT IS NO LONGER CURRENT OR ACCURATE.

