

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by  
Commission Regulation (EU) 2020/878

# SAFETY DATA SHEET

FOR PROFESSIONAL and/or INDUSTRIAL USE ONLY

EPIKURE™ Curing Agent MGS DFH20

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Product name : EPIKURE™ Curing Agent MGS DFH20  
SDS Number : 300000034616  
Product type : Curing Agent  
Other means of identification : UFI: 0H8A-76T0-W1E4-JXQY

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Epoxy Resin Systems

### 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier/Importer : Westlake Epoxy B.V.  
Seattleweg 17  
3195 ND Pernis - Rotterdam  
The Netherlands

Contact person : epoxyservice@westlake.com  
Telephone : General information  
+31 (0) 10 295 4011

### 1.4

Emergency telephone number :  
Supplier : CARECHEM24  
Telephone number : +44 (0) 1235 239 670

## SECTION 2: Hazards identification


### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Skin Corr./Irrit. 1B H314  
Eye Dam./Irrit. 1 H318  
Skin Sens. 1 H317  
Aquatic Chronic 3 H412

See Section 16 for the full text of the H statements declared above.

## 2.2 Label elements

<b>Hazard pictograms</b>	:	
<b>Signal word</b>	:	Danger
<b>Hazard statements</b>	:	Causes severe skin burns and eye damage. May cause an allergic skin reaction. Harmful to aquatic life with long lasting effects.

### Precautionary statements

<b>Prevention</b>	:	Wear protective gloves, protective clothing and eye or face protection. Avoid release to the environment. Avoid breathing vapor.
<b>Response</b>	:	IF INHALED: Immediately call a POISON CENTER or doctor. IF SWALLOWED: Immediately call a POISON CENTER or doctor. Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Immediately call a POISON CENTER or doctor. Wash contaminated clothing before reuse. IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice or attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.
<b>Storage</b>	:	Store locked up.
<b>Disposal</b>	:	Dispose of contents and container in accordance with all local, regional, national and international regulations.
<b>Hazardous ingredients</b>	:	Triethylenetetramine m-phenylenebis(methylamine)
<b>Supplemental label elements</b>	:	Not applicable.

## 2.3 Other hazards

**Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII** : Not applicable.

**Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII** : Not applicable.

**Other hazards which do not result in classification** : None known.

## SECTION 3: Composition/information on ingredients

**3.2 Mixtures** : Mixture

Product/ingredient name	Identifiers	%	Classification	Specific Conc. Limits, M-factors and ATEs	Type
Fatty Acids, C18-Unsatd., Dimers, Polymers with Tall-Oil Fatty Acids and Triethylenetetramine	CAS : 68082-29-1	>= 25 - <= 50	Skin Irrit. 2, H315 Eye Irrit. 2, H319	-	[1]
Triethylenetetramine	RRN : 01-2119487919-13 EC : 292-588-2 CAS : 90640-67-8 Index : 612-059-00-5	>= 10 - <= 25	Acute Tox. 4, H302 Acute Tox. 4, H312 Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Chronic 3, H412	ATE [Oral] = 1,716 mg/kg ATE [Dermal] = 1,465 mg/kg	[1] [2]
m-phenylenebis(methylamine)	RRN : 01-2119480150-50 EC : 216-032-5 CAS : 1477-55-0	>= 5 - <= 10	Acute Tox. 4, H302 Acute Tox. 4, H332 Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Chronic 3, H412	ATE [Oral] = 930 mg/kg ATE [Inhalation (vapours)] = 11 mg/l	[1] [2]
salicylic acid	RRN : 01-2119486984-17 EC : 200-712-3 CAS : 69-72-7	> 0 - < 3	Acute Tox. 4, H302 Eye Dam. 1, H318 Repr. 2, H361d	ATE [Oral] = 891 mg/kg	[1]
2-methylpentane-1,5-diamine	RRN : 01-2119976310-41 EC : 239-556-6 CAS : 15520-10-2	> 0 - <= 3	Acute Tox. 4, H302 Acute Tox. 4, H332 Skin Corr. 1A, H314 Eye Dam. 1, H318 STOT SE 3, H335 (Respiratory tract irritation)	ATE [Oral] = 1,690 mg/kg ATE [Inhalation (dusts and mists)] = 1.5 mg/l	[1]

See Section 16 for the full text of the H statements declared above.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

### Type

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

Occupational exposure limits, if available, are listed in Section 8.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

- |  |   |   |
|--|---|---|
| <b>Eye contact</b>                       | : | Get medical attention immediately. Call a poison center or physician. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician.  |
| <b>Inhalation</b>                        | : | Get medical attention immediately. Call a poison center or physician. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. |
| <b>Skin contact</b>                      | : | Get medical attention immediately. Call a poison center or physician. Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.  |
| <b>Ingestion</b>                         | : | Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.   |
| <b>Protection of first aid personnel</b> | : | No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.   |

### 4.2 Most important symptoms and effects, both acute and delayed

#### Potential acute health effects

- |                     |   |   |
|---------------------|---|---|
| <b>Eye contact</b>  | : | Causes serious eye damage.                                |
| <b>Inhalation</b>   | : | No known significant effects or critical hazards.         |
| <b>Skin contact</b> | : | Causes severe burns. May cause an allergic skin reaction. |
| <b>Ingestion</b>    | : | No known significant effects or critical hazards.         |

#### Over-exposure signs/symptoms

<b>Eye contact</b>	: Adverse symptoms may include the following: pain watering redness
<b>Inhalation</b>	: No specific data.
<b>Skin contact</b>	: Adverse symptoms may include the following: pain or irritation redness blistering may occur
<b>Ingestion</b>	: Adverse symptoms may include the following: stomach pains

#### 4.3 Indication of any immediate medical attention and special treatment needed

<b>Notes to physician</b>	: In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
<b>Specific treatments</b>	: No specific treatment.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

<b>Suitable extinguishing media</b>	: Use dry chemical, CO <sub>2</sub> , alcohol-resistant foam or water spray (fog).
<b>Unsuitable extinguishing media</b>	: Do not use water jet.

### 5.2 Special hazards arising from the substance or mixture

<b>Hazards from the substance or mixture</b>	: In a fire or if heated, a pressure increase will occur and the container may burst. This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
<b>Hazardous thermal decomposition products</b>	: Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides metal oxide/oxides

### 5.3 Advice for firefighters

<b>Special protective actions for fire-fighters</b>	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
<b>Special protective equipment for fire-fighters</b>	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
<b>Additional information</b>	: Not available

## SECTION 6: Accidental release measures

## 6.1 Personal precautions, protective equipment and emergency procedures

- For non-emergency personnel** : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
- For emergency responders** : If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

- 6.2 Environmental precautions** : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.

## 6.3 Methods and material for containment and cleaning up

- Small spill** : Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
- Large spill** : Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product.

- 6.4 Reference to other sections** : See Section 1 for emergency contact information.  
See Section 8 for information on appropriate personal protective equipment.  
See Section 13 for additional waste treatment information.

# SECTION 7: Handling and storage

## 7.1 Precautions for safe handling

- Protective measures** : Put on appropriate personal protective equipment (see section 8 of SDS). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Avoid release to the environment. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
- Advice on general occupational hygiene** : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering

eating areas. See also Section 8 for additional information on hygiene measures.

## 7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10 of SDS) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

## 7.3 Specific end use(s)

**Recommendations** : Not available  
**Industrial sector specific solutions** : Not available

# SECTION 8: Exposure controls/personal protection

## 8.1 Control parameters

### Occupational exposure limits

Product/ingredient name	Exposure limit values
Triethylenetetramine	<b>DFG MAK-Werte Liste (2014-06-23)</b>  Notes: Skin sensitizer
m-phenylenebis(methylamine)	<b>DFG MAK-Werte Liste (2014-06-23)</b>  Notes: Skin sensitizer

**Recommended monitoring procedures** : If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

**DNEL/DMEL Summary** : Not available

**PNEC Summary** : Not available

## 8.2 Exposure controls

**Appropriate engineering controls** : If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering



controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

### **Individual protection measures**

- Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
- Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles and/or face shield. If inhalation hazards exist, a full-face respirator may be required instead.

### **Skin protection**

- Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.  
Material: 730 Camatril  
Minimum break through time: 480 min  
  
Material: 898 Butoject  
Minimum break through time: 480 min  
Producer: This recommendation is valid only for our Product as delivered. If this product will be mixed with other substances you need to contact a supplier of CE approved protective gloves (e.g. KCL GmbH, D-36124 Eichenzell, Tel. 0049 (0) 6659 87300, Fax. 0049 (0) 6659 87155, email: [vertrieb@kcl.de](mailto:vertrieb@kcl.de)).
- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.
- Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.



## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### Appearance

Physical state	:	Viscous liquid.
Color	:	Blue.
Odor	:	Amine-like.
Odor threshold	:	Not available (not measured)
pH	:	Not available (not measured)
Melting point/freezing point	:	Not available (not measured)
Initial boiling point and boiling range	:	Not available (not measured)
Flash point	:	Not available (not measured)
Evaporation rate	:	Not available (not measured)
Upper/lower flammability or explosive limits	:	<b>Lower:</b> Not available (not measured) <b>Upper:</b> Not available (not measured)
Vapor pressure	:	Not available (not measured)
Vapor density	:	Not available (not measured)
Relative density	:	Not available (not measured)
Solubility(ies)	:	Not available (not measured)
Solubility in water	:	insoluble
Partition coefficient: n-octanol/water	:	Not applicable.
Auto-ignition temperature	:	Not available (not measured)
Decomposition temperature	:	Not available (not measured)
Viscosity	:	<b>Dynamic:</b> Not available (not measured) <b>Kinematic:</b> Not available (not measured)
Explosive properties	:	Not available (not measured)
Oxidizing properties	:	Not available (not measured)

#### Particle characteristics

Median particle size	:	Not applicable.
----------------------	---	-----------------

### 9.2 Other information

No additional information.

## SECTION 10: Stability and reactivity

10.1 Reactivity	:	Stable under normal conditions.
10.2 Chemical stability	:	The product is stable.
10.3 Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
10.4 Conditions to avoid	:	No specific data.
10.5 Incompatible materials	:	No specific data.
10.6 Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Fatty Acids, C18-Unsatd., Dimers, Polymers with Tall-Oil Fatty Acids and Triethylenetetramine				
Triethylenetetramine				
	LD50 Oral	Rat	1,716 mg/kg	-
	LD50 Oral	Rat	1,716 mg/kg	-
	LD50 Dermal	Rat	1,465 mg/kg	-
	LD50 Dermal	Rat	1,465 mg/kg	-
m-phenylenebis(methylamine)				
	LD50 Oral	Rat	930 mg/kg	-
	LD50 Oral	Rat	930 mg/kg	-
	LC50 Inhalation	Rat	3.89 mg/l 700 ppm	1 h
	LC50 Inhalation Dusts and mists	Rat	2.4 mg/l	4 h
	LC50 Inhalation Dusts and mists	Rat - Female	0.8 mg/l	4 h
	LC50 Inhalation Dusts and mists	Rat	3.89 mg/l	1 h
	LC50 Inhalation Dusts and mists	Rat - Female	0.8 mg/l	4 h
	LD50 Dermal	Rabbit	2,000 mg/kg	-
	LD50 Dermal	Rabbit	2,000 mg/kg	-
salicylic acid				
	LD50 Oral	Rat	891 mg/kg	-
	LD50 Oral	Rat	891 mg/kg	-
	LD50 Dermal	Rabbit	> 10,000 mg/kg	-
	LD50 Dermal	Rabbit	> 10,000 mg/kg	-
2-methylpentane-1,5-diamine				
	LD50 Oral	Rat	1,690 mg/kg	-
	LD50 Oral	Rat	1,690 mg/kg	-
	LC50 Inhalation	Rat	4.9 mg/l	1 h
	LC50 Inhalation vapor	Rat	4.9 mg/l	1 h

Conclusion/Summary : Not available

#### Acute toxicity estimates

Product/ingredient name	Oral	Dermal	Inhalation (gases)	Inhalation (vapors)	Inhalation (dusts and mists)
EPIKURE™ Curing Agent MGS DFH20	4,186.4 mg/kg	9,207.4 mg/kg	N/A	112.8 mg/l	102.6 mg/l
Triethylenetetramine	1,716 mg/kg	1,465 mg/kg	N/A	N/A	N/A
m-phenylenebis(methylamine)	930 mg/kg	N/A	N/A	11 mg/l	N/A
salicylic acid	891 mg/kg	N/A	N/A	N/A	N/A
2-methylpentane-1,5-	1,690 mg/kg	N/A	N/A	N/A	1.5 mg/l

diamine					
---------	--	--	--	--	--

### **Irritation/Corrosion**

Product/ingredient name	Result	Species	Score	Exposure	Observation
Fatty Acids, C18-Unsatd., Dimers, Polymers with Tall-Oil Fatty Acids and Triethylenetetramine			-		-
<b>Remarks:</b> Causes skin irritation. Causes severe eye irritation.					
Triethylenetetramine	eyes - Moderate irritant	Rabbit	-	24 hrs	-
	Skin - Severe irritant	Rabbit	-	24 hrs	-
	eyes - Severe irritant	Rabbit	-		-
m-phenylenebis(methylamine)	Skin - Severe irritant	Rabbit	-	24 hrs	-
	eyes - Severe irritant	Rabbit	-	24 hrs	-
2-methylpentane-1,5-diamine	eyes - Severe irritant	Rabbit	-		-
	Skin - Severe irritant	Rabbit	-		-

#### **Conclusion/Summary**

**Skin** : Not available  
**eyes** : Not available  
**Respiratory** : Not available

### **Sensitization**

#### **Conclusion/Summary**

**Skin** : Not available  
**Respiratory** : Not available

### **Mutagenicity**

**Conclusion/Summary** : Not available

### **Carcinogenicity**

**Conclusion/Summary** : Not available

### **Reproductive toxicity**

**Conclusion/Summary** : Not available

### **Teratogenicity**

**Conclusion/Summary** : Not available

### **Specific target organ toxicity (single exposure)**

Product/ingredient name	Category	Route of exposure	Target organs
2-methylpentane-1,5-diamine	Category 3	-	Respiratory tract irritation

### **Specific target organ toxicity (repeated exposure)**

Not available

#### **Aspiration hazard**

Not available

**Information on likely routes of exposure** : Not available

#### **Potential acute health effects**

**Eye contact** : Causes serious eye damage.  
**Inhalation** : No known significant effects or critical hazards.  
**Skin contact** : Causes severe burns. May cause an allergic skin reaction.  
**Ingestion** : No known significant effects or critical hazards.

#### **Symptoms related to the physical, chemical and toxicological characteristics**

**Eye contact** : Adverse symptoms may include the following: pain, watering, redness  
**Inhalation** : No specific data.  
**Skin contact** : Adverse symptoms may include the following: pain or irritation, redness, blistering may occur  
**Ingestion** : Adverse symptoms may include the following: stomach pains

#### **Delayed and immediate effects as well as chronic effects from short and long-term exposure**

##### **Short term exposure**

**Potential immediate effects** : Not available  
**Potential delayed effects** : Not available

##### **Long term exposure**

**Potential immediate effects** : Not available  
**Potential delayed effects** : Not available

#### **Potential chronic health effects**

Fatty Acids, C18-Unsatd., Dimers, Polymers with Tall-Oil Fatty Acids and Triethylenetetramine				-
---	--	--	--	---

**Conclusion/Summary** : Not available

**General** : Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.  
**Carcinogenicity** : No known significant effects or critical hazards.  
**Mutagenicity** : No known significant effects or critical hazards.  
**Reproductive toxicity** : No known significant effects or critical hazards.

#### **11.2. Information on other hazards**

**11.2.1 Endocrine disrupting properties** : Not available  
**11.2.2 Other information** : Not available

## **SECTION 12: Ecological information**

#### **12.1 Toxicity**

Product/ingredient name	Result	Species	Exposure
Fatty Acids, C18-Unsatd., Dimers, Polymers with Tall-Oil Fatty Acids and Triethylenetetramine			
<b>Remarks - Acute - Aquatic invertebrates.:</b>	not available		
<b>Remarks - Acute - Aquatic plants:</b>	not available		
<b>Remarks - Acute - Micro-organism:</b>	not available		
<b>Remarks - Chronic - Fish:</b>	not available		
<b>Remarks - Chronic - Aquatic invertebrates.:</b>	not available		
	Acute LC50 33,900 µg/l Fresh water	Water flea	48 h
	Acute EC50 3,700 µg/l Fresh water	Green algae	96 h
salicylic acid			
	Acute EC50 870 mg/l Fresh water	Daphnia - Daphnia magna	48 h
	Acute EC50 870 mg/l Fresh water	Daphnia - Daphnia magna	48 h
	Chronic No-observable-effect-concentration 5.6 mg/l Fresh water	Daphnia - Daphnia magna	21 d
	Chronic No-observable-effect-concentration 5.6 mg/l Fresh water	Daphnia - Daphnia magna	21 d

**Conclusion/Summary** : Not available

## 12.2 Persistence and degradability

**Conclusion/Summary** : Not available

## 12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Triethylenetetramine	-1.66 - -1.4	-	low
m-phenylenebis(methylamine)	0.18	2.69	low
salicylic acid	2.21 - 2.26	-	low

## 12.4 Mobility in soil

**Soil/water partition coefficient (KOC)** : Not available

**Mobility** : Not available

## 12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

**12.6 Endocrine disrupting properties** : Not available

**12.7 Other adverse effects** : No known significant effects or critical hazards.

# SECTION 13: Disposal considerations

## 13.1 Waste treatment methods

## **Product**

- Methods of disposal** : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
- Hazardous waste** : The classification of the product may meet the criteria for a hazardous waste.

## **Packaging**

- Methods of disposal** : The generation of waste should be avoided or minimized wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.
- Special precautions** : This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

## **SECTION 14: Transport information**

<b>Regulatory information</b>	<b>14.1. UN number</b>	<b>14.2. UN proper shipping name</b>	<b>14.3. Transport hazard class(es)</b>	<b>14.4. Packing group</b>
<b>ADR/ADN</b>	2735	POLYAMINES, LIQUID, CORROSIVE, N.O.S. (ALKYLETHERAMINE)	8	II
<b>RID</b>	2735	POLYAMINES, LIQUID, CORROSIVE, N.O.S. (ALKYLETHERAMINE)	8	II
<b>ICAO/IATA</b>	2735	POLYAMINES, LIQUID, CORROSIVE, N.O.S. (ALKYLETHERAMINE)	8	II
<b>IMO/IMDG</b>	2735	POLYAMINES, LIQUID, CORROSIVE, N.O.S. (ALKYLETHERAMINE)	8	II

### **14.5. Environmental hazards**

Environmentally hazardous and/or Marine Pollutant : No.

- 14.6 Special precautions for user** : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

## **SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

### EU Regulation (EC) No. 1907/2006 (REACH)

#### Annex XIV - List of substances subject to authorization

##### Annex XIV

None required.

##### Substances of very high concern

None required.

**Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles** : Not applicable.

### Other EU regulations

**REACH Status** : The substance(s) in this product has (have) been Registered, or are exempted from registration, according to Regulation (EC) No. 1907/2006 (REACH).

### Prior Informed Consent (PIC) (649/2012/EU)

None required.

### Seveso Directive

This product is not controlled under the Seveso Directive.

### National regulations

**Storage class (TRGS 510)** : 8B

### Hazardous incident ordinance

This product is not controlled under the Germany Hazardous Incident Ordinance.

**Hazard class for water** : WGK 2  
**Technical instruction on air quality control** : TA-Luft Number 5.2.5: 82.9 %  
**AOX** : Not available

### International regulations

**International lists** : Australia inventory (AICS) All components are listed or exempted.  
Canada inventory At least one component is not listed in DSL but all such components are listed in NDSL.  
Japan inventory Not determined.  
China inventory (IECSC) All components are listed or exempted.  
Korea inventory (KECI) All components are listed or exempted.  
New Zealand Inventory (NZIoC) Not determined.  
Philippines inventory (PICCS) Not determined.  
Taiwan inventory (TCSI) All components are listed or exempted.  
Thailand inventory Not determined.  
United States inventory (TSCA 8b) All components are active or exempted.  
Vietnam inventory Not determined.

**15.2 Chemical Safety Assessment** : This product contains substances for which Chemical Safety



Assessments are still required.

## SECTION 16: Other information

<b>Abbreviations and acronyms</b>	:	<p>ATE = Acute Toxicity Estimate</p> <p>CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]</p> <p>DMEL = Derived Minimal Effect Level</p> <p>DNEL = Derived No Effect Level</p> <p>EUH statement = CLP-specific Hazard statement</p> <p>N/A = Not available</p> <p>PBT = Persistent, Bioaccumulative and Toxic</p> <p>PNEC = Predicted No Effect Concentration</p> <p>RRN = REACH Registration Number</p> <p>SGG = Segregation Group</p> <p>vPvB = Very Persistent and Very Bioaccumulative</p>
-----------------------------------	---	---

### Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification
Skin Corr. 1B, H314	Calculation method
Eye Dam. 1, H318	Calculation method
Skin Sens. 1, H317	Calculation method
Aquatic Chronic 3, H412	Calculation method

### Full text of abbreviated H statements

H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H361d	Suspected of damaging the unborn child.
H412	Harmful to aquatic life with long lasting effects.

### Full text of classifications [CLP/GHS]

Acute Tox. 4	ACUTE TOXICITY - Category 4
Aquatic Chronic 3	AQUATIC HAZARD (LONG-TERM) - Category 3
Eye Dam. 1	SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1
Eye Irrit. 2	SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2
Repr. 2	REPRODUCTIVE TOXICITY - Category 2
Skin Corr. 1A	SKIN CORROSION/IRRITATION - Category 1A
Skin Corr. 1B	SKIN CORROSION/IRRITATION - Category 1B
Skin Irrit. 2	SKIN CORROSION/IRRITATION - Category 2
Skin Sens. 1	SKIN SENSITISATION - Category 1
STOT SE 3	SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE - Category 3
Acute Tox. 4	ACUTE TOXICITY - oral
Acute Tox. 4	ACUTE TOXICITY - dermal
Skin Corr. 1A	SKIN CORROSION/IRRITATION
Skin Corr. 1B	SKIN CORROSION/IRRITATION

Skin Irrit. 2	SKIN CORROSION/IRRITATION
Skin Sens. 1	SKIN SENSITISATION
Eye Dam. 1	SERIOUS EYE DAMAGE/EYE IRRITATION
Eye Irrit. 2	SERIOUS EYE DAMAGE/EYE IRRITATION
Acute Tox. 4	ACUTE TOXICITY - inhalation
STOT SE 3	SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE - Respiratory tract irritation
Repr. 2	REPRODUCTIVE TOXICITY
Aquatic Chronic 3	AQUATIC HAZARD (LONG-TERM)

**Date of printing** : 06.03.2024  
**Date of issue/ Date of revision** : 04.01.2023  
**Date of previous issue** : 18.12.2022  
**Version** : 6.0

#### **Notice to reader**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**This page left intentionally blank.**