according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Revision Date 07.03.2025

Print Date 07.03.2025

Version 3

Commercial Product Name: ALEXIT-BR7R31-BladeRep Profile Filler

Quality No.: 5917R31SK3000

consisting of the components:

Commercial Product Name: ALEXIT-BladeRep Profile Filler 7R / Quality No.:

4917R31SK3000

Commercial Product Name: ALEXIT-BladeRep Hardener 7 / Quality No.:

4957H90Q20000

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : ALEXIT-BladeRep Profile Filler 7R 31SK rot / red

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-: Industrial serial painting

stance/Mixture

1.3 Details of the supplier of the safety data sheet

Mankiewicz Gebr. & Co. (GmbH & Co. KG)

Georg-Wilhelm-Strasse 189

21107 Hamburg

Germany

Only for UK:

Supplied by Mankiewicz UK LLP

26 Ashville Way, Whetstone,

Leicester LE8 6NU United Kingdom

Telephone

E-mail address of person

responsible for the SDS

+49 (0) 40 75103 0 sdb_info@umco.de

1.4 Emergency telephone number

Emergency telephone num-+44 1865 407333 (NCEC)

ber

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

Additional Labelling

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Revision Date 07.03.2025

Print Date 07.03.2025

Version 3

Commercial Product Name: ALEXIT-BR7R31-BladeRep Profile Filler

Quality No.: 5917R31SK3000

consisting of the components:

Commercial Product Name: ALEXIT-BladeRep Profile Filler 7R / Quality No.:

Commercial Product Name: ALEXIT-BladeRep Hardener 7 / Quality No.:

4957H90Q20000

EUH210 Safety data sheet available on request.

EUH208 Contains dimethylbis[(1-oxoneodecyl)oxy]stannane. May produce an allergic

reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: This substance/mixture does not contain components considered to have endocrine disrupting properties for environment according to UK REACH Article 57(f).

Toxicological information: This substance/mixture does not contain components considered to have endocrine disrupting properties for human health according to UK REACH Article 57(f),

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature Mixture of synthetic resins and pigments

Components

	Chemical name	CAS-No. EC-No.	Classification	Concentration (% w/w)
		Index-No.		,
		Registration number		
	propylidynetrimethanol	77-99-6	Repr. 2; H361fd	>= 1 - < 3
		201-074-9		
		01-2119486799-10		
	dimethylbis[(1-	68928-76-7	Acute Tox. 4; H302	>= 0.025 - <
	oxoneodecyl)oxy]stannane	273-028-6	Skin Irrit. 2; H315	0.1
	2,7 22	01-2120770324-57	Skin Sens. 1A; H317	
			Aquatic Chronic 3;	
			H412	
ne	se contain:			
	magnesium carbonate	546-93-0		> 0.1 - <= 0.25

Th

magnesium carbonate	546-93-0	> 0.1 - <= 0.25
	208-915-9	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice In all cases of doubt, or when sickness symptoms persist,

seek medical attention.

Never give anything by mouth to an unconscious person.

Mankiewicz Gebr. & Co. (GmbH & Co. KG) (GmbH & Co. KG) Georg-Wilhelm-Straße 189 21107 Hamburg, Germany T +49 40 751030 E info@mankiewicz.com

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Revision Date 07.03.2025 Print Date 07.03.2025

Version 3

Commercial Product Name: ALEXIT-BR7R31-BladeRep Profile Filler

Quality No.: 5917R31SK3000

consisting of the components: Commercial Product Name: ALEXIT-BladeRep Profile Filler 7R / Quality No.:

4917R31SK3000

Commercial Product Name: ALEXIT-BladeRep Hardener 7 / Quality No.:

4957H90Q20000

If inhaled Remove to fresh air, keep patient warm and at rest.

Call a doctor, should the air passages be affected

In case of skin contact Take off all contaminated clothing immediately.

Wash skin thoroughly with soap and water or use recognised

skin cleanser.

Do NOT use solvents or thinners!

In case of eye contact Remove contact lenses, irrigate copiously with clean, fresh

water for at least 10 minutes, holding the eyelids apart and

seek medical advice.

If swallowed Do NOT induce vomiting.

> If accidentally swallowed obtain immediate medical attention. Never give anything by mouth to an unconscious person.

Keep at rest.

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Not combustible under normal conditions.

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Fire will produce dense black smoke. Exposure to decomposi-

tion products may cause a health hazard.

5.3 Advice for firefighters

Special protective equipment:

for firefighters

Appropriate breathing apparatus may be required.

DO NOT ALLOW RUN-OFF FROM FIRE FIGHTING TO Further information

ENTER DRAINS OR WATER COURSES!!

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Take the precautions customary when handling chemicals.

Mankiewicz Gebr. & Co. (GmbH & Co. KG) (GmbH & Co. KG)
Georg-Wilhelm-Straße 189
21107 Hamburg, Germany
T +49 40 751030
E info@mankiewicz.com

Sitz/Registergericht Hamburg: HRA 42442 Persönlich haftende Gesellschafterin: Grau Gebr. Beteiligungs-GmbH Sitz/Registergericht Hamburg: HRB 17189

HypoVereinsbank

DEUTDEHHXXX HYVEDEMM300

DE58 2007 0000 0600 2273 00 DE34 2003 0000 0059 2733 00 Postbank PBNKDEFF200 DE85 2001 0020 0000 3732 05 HypoVereinsbank USD HYVEDEMMXXX DE33 7002 0270 0910 0501 52

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Commercial Product Name: ALEXIT-BR7R31-BladeRep Profile Filler

Quality No.: 5917R31SK3000

consisting of the components:

Commercial Product Name: ALEXIT-BladeRep Profile Filler 7R / Quality No.:

4917R31SK3000

Commercial Product Name: ALEXIT-BladeRep Hardener 7 / Quality No.:

4957H90Q20000

Revision Date 07.03.2025 Print Date 07.03.2025 Version 3

Refer to protective measures listed in sections 7 and 8.

6.2 Environmental precautions

Environmental precautions Do not let product enter drains.

> If the product contaminates lakes, rivers or sewage, inform appropriate authorities in accordance with local regulations.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up Contain and collect spillage with non-combustible absorbent

materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regula-

tions (see chapter 13).

Clean preferably with a detergent; avoid use of solvents.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling Avoid contact with the skin and the eyes.

Comply with the health and safety at work laws.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Observe specific national regulations for handling and use of

paints.

Advice on protection against

fire and explosion

No special protective measures against fire required.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Keep container tightly closed. Never use pressure to empty: container isnot a pressure vessel. No smoking. Prevent unauthorized access. Containers which are opened must be care-

fully resealed and kept upright to prevent leakage.

Further information on stor-

age conditions

Always keep in containers of same material as the original one. See also instructions on the label. Avoid heating and

direct sunlight. Keep container dry in a cool, well-ventilated

place.

Advice on common storage Keep away from oxidizing agents and strongly acid or alkaline

materials.

Recommended storage tem- : 5 - 35 °C

perature

Mankiewicz Gebr. & Co. (GmbH & Co. KG) (GmbH & Co. KG)
Georg-Wilhelm-Straße 189
21107 Hamburg, Germany
T +49 40 751030
E info@mankiewicz.com

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Revision Date 07.03.2025

Print Date 07.03.2025

Version 3

Commercial Product Name: ALEXIT-BR7R31-BladeRep Profile Filler

Quality No.: 5917R31SK3000

consisting of the components:

Commercial Product Name: ALEXIT-BladeRep Profile Filler 7R / Quality No.:

4917R31SK3000

Commercial Product Name: ALEXIT-BladeRep Hardener 7 / Quality No.:

4957H90Q20000

7.3 Specific end use(s)

Specific use(s) This information is not available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
dimethylbis[(1- ox- oneodecyl)oxy]sta nnane	68928-76-7	TWA	0.1 mg/m3 (Tin)	GB EH40
	Further information: Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.			
		STEL	0.2 mg/m3 (Tin)	GB EH40
	Further information: Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.			

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006

Substance name	End Use	Exposure routes	Potential health effects	Value
propylidynetrimetha- nol	Workers	Inhalation	Long-term systemic effects	3.3 mg/m3
	Workers	Dermal	Long-term systemic effects	0.94 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	0.58 mg/m3
	Consumers	Dermal	Long-term systemic effects	0.34 mg/kg bw/day
	Consumers	Oral	Long-term systemic effects	0.34 mg/kg bw/day

8.2 Exposure controls

Engineering measures

Provide adequate ventilation. This should be achieved by the use of local exhaust ventilation and good general extraction.

Personal protective equipment

Eye/face protection Wear safety goggles to protect against splashes.

Hand protection

Mankiewicz Gebr. & Co. (GmbH & Co. KG) Georg-Wilhelm-Straße 189 21107 Hamburg, Germany T +49 40 751030 E info@mankiewicz.com

Sitz/Registergericht Hamburg: HRA 42442 Persönlich haftende Gesellschafterin: Grau Gebr. Beteiligungs-GmbH Sitz/Registergericht Hamburg: HRB 17189

Bank HypoVereinsbank Postbank HypoVereinsbank USD

BIC DEUTDEHHXXX HYVEDEMM300

IBAN DE58 2007 0000 0600 2273 00 DE34 2003 0000 0059 2733 00 PBNKDEFF200 DE85 2001 0020 0000 3732 05 HYVEDEMMXXX DE33 7002 0270 0910 0501 52

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Commercial Product Name: ALEXIT-BR7R31-BladeRep Profile Filler

Quality No.: 5917R31SK3000

consisting of the components:

Commercial Product Name: ALEXIT-BladeRep Profile Filler 7R / Quality No.:

4917R31SK3000

Commercial Product Name: ALEXIT-BladeRep Hardener 7 / Quality No.:

4957H90Q20000

Revision Date 07.03.2025 Print Date 07.03.2025

Version 3

Adhere to the professional organisation rule "Use of protec-Remarks

tive gloves". Appropriate chemicals resistant glove tested in

compliance with EN 374.

Recommendation for protection against components general-

ly found in the products:

For short-term contact (i.e. splash protection):

Appropriate material: nitrile rubber, Neoprene

Material thickness: > 0,4 mm Breakthrough time: > 480 min

Before use, the protective glove should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Preventive hand protection (skin protection cream) recommended. Wash immediately contaminated skin. Design operations thus to avoid permanent use

of protective gloves.

Skin and body protection Depending on the probability of the occurrence of dangerous-

ly explosive atmospheres, adapted protective clothing must

be worn.

Respiratory protection None, but avoid breathing vapours if possible.

Protective measures Avoid product contact with skin, eyes and clothing.

> Avoid the inhalation of dust from sanding, particulates and spray mist arising from the application of this preparation.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state liquid (20 - 25 °C, 1,013 hPa)

Colour according product name

Odour characteristic

Melting point/ range No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Commercial Product Name: ALEXIT-BR7R31-BladeRep Profile Filler

Quality No.: 5917R31SK3000

consisting of the components: Commercial Product Name: ALEXIT-BladeRep Profile Filler 7R / Quality No.:

4917R31SK3000

Commercial Product Name: ALEXIT-BladeRep Hardener 7 / Quality No.:

4957H90Q20000

Revision Date 07.03.2025 Print Date 07.03.2025 Version 3

Boiling point/boiling range ca. 120 °C

Upper explosion limit No data available

Lower explosion limit No data available

Flash point > 150 °C

Method: ISO 13736

Auto-ignition temperature No data available

No data available Decomposition temperature

6 - 8 (20 °C) рΗ

Concentration: 10 %

Viscosity

Viscosity, kinematic $> 21 \text{ mm}^2/\text{s}$

Flow time > 150 s

> Cross section: 4 mm Method: DIN 53211

> 100 s

Cross section: 6 mm Method: ISO 2431

Solubility(ies)

Water solubility insoluble

Vapour pressure ca. 100 hPa (50 °C)

Density ca. 1.8 g/cm3 (20 °C)

Relative vapour density No data available

9.2 Other information

Flammability (liquids) No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Revision Date 07.03.2025 Print Date 07.03.2025

Version 3

Commercial Product Name: ALEXIT-BR7R31-BladeRep Profile Filler

Quality No.: 5917R31SK3000

consisting of the components:

Commercial Product Name: ALEXIT-BladeRep Profile Filler 7R / Quality No.:

Commercial Product Name: ALEXIT-BladeRep Hardener 7 / Quality No.:

4957H90Q20000

Miscibility with water : immiscible

< 3%(V)Solvent separation

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid Stable under recommended storage and handling conditions

(See section 7).

10.5 Incompatible materials

Materials to avoid Keep away from oxidizing agents, strongly alkaline and

strongly acid materials in order to avoid exothermic reactions.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Components:

dimethylbis[(1-oxoneodecyl)oxy]stannane:

Acute oral toxicity : LD50 (Rat): 892 mg/kg

Skin corrosion/irritation

Not classified due to lack of data.

Components:

dimethylbis[(1-oxoneodecyl)oxy]stannane:

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Revision Date 07.03.2025 Print Date 07.03.2025

Version 3

Commercial Product Name: ALEXIT-BR7R31-BladeRep Profile Filler

Quality No.: 5917R31SK3000

consisting of the components:

Commercial Product Name: ALEXIT-BladeRep Profile Filler 7R / Quality No.:

4917R31SK3000

Commercial Product Name: ALEXIT-BladeRep Hardener 7 / Quality No.:

4957H90Q20000

Species Rabbit

OECD Test Guideline 404 Method

Result irritating

Serious eye damage/eye irritation

Not classified due to lack of data.

Respiratory or skin sensitisation

Skin sensitisation

Not classified due to lack of data.

Respiratory sensitisation

Not classified due to lack of data.

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Not classified due to lack of data.

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

Not classified due to lack of data.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment The substance/mixture does not contain components consid-

> ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Assessment This substance/mixture does not contain components consid-

ered to have endocrine disrupting properties for human health

according to UK REACH Article 57(f),

Further information

Product:

Remarks Repeated or prolonged contact with the preparation may

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Revision Date 07.03.2025

Commercial Product Name: ALEXIT-BR7R31-BladeRep Profile Filler

Quality No.: 5917R31SK3000

consisting of the components:

Commercial Product Name: ALEXIT-BladeRep Profile Filler 7R / Quality No.:

4917R31SK3000

Commercial Product Name: ALEXIT-BladeRep Hardener 7 / Quality No.:

4957H90Q20000

Print Date 07.03.2025 Version 3

cause removal of natural fat from the skin resulting in nonallergic contact dermatitis and absorption through the skin. The liquid splashed in the eyes may cause irritation and reversible damage.

SECTION 12: Ecological information

12.1 Toxicity

Product:

Ecotoxicology Assessment

Acute aquatic toxicity There are no data available on the preparation itself.

12.2 Persistence and degradability

Product:

Biodegradability Remarks: There are no data available on the preparation it-

12.3 Bioaccumulative potential

Product:

Bioaccumulation Remarks: There are no data available on the preparation it-

self.

12.4 Mobility in soil

Product:

Mobility Remarks: There are no data available on the preparation it-

self.

12.5 Results of PBT and vPvB assessment

Product:

Assessment This substance/mixture contains no components considered

> to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Revision Date 07.03.2025

Print Date 07.03.2025

Version 3

Commercial Product Name: ALEXIT-BR7R31-BladeRep Profile Filler

Quality No.: 5917R31SK3000

consisting of the components:

Commercial Product Name: ALEXIT-BladeRep Profile Filler 7R / Quality No.:

4917R31SK3000

Commercial Product Name: ALEXIT-BladeRep Hardener 7 / Quality No.:

4957H90Q20000

12.6 Endocrine disrupting properties

Product:

Assessment The substance/mixture does not contain components consid-

> ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Assessment This substance/mixture does not contain components consid-

ered to have endocrine disrupting properties for environment

according to UK REACH Article 57(f).

12.7 Other adverse effects

Product:

Additional ecological infor-

mation

There are no data available on the preparation itself.

The product should not be allowed to enter drains or water

courses.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product Dispose of in accordance with local regulations.

Contaminated packaging Contaminated packaging should be emptied as far as possible

and after appropriate cleansing may be taken for reuse. Packaging that cannot be cleaned should be disposed off in agreement with the regional waste disposal company.

SECTION 14: Transport information

14.1 UN number or ID number

ADR Not regulated as a dangerous good **IMDG** Not regulated as a dangerous good IATA Not regulated as a dangerous good

14.2 UN proper shipping name

ADR Not regulated as a dangerous good **IMDG** Not regulated as a dangerous good IATA Not regulated as a dangerous good

14.3 Transport hazard class(es)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Revision Date 07.03.2025

Print Date 07.03.2025

Version 3

Commercial Product Name: ALEXIT-BR7R31-BladeRep Profile Filler

Quality No.: 5917R31SK3000

consisting of the components:

Commercial Product Name: ALEXIT-BladeRep Profile Filler 7R / Quality No.:

4917R31SK3000

Commercial Product Name: ALEXIT-BladeRep Hardener 7 / Quality No.:

4957H90Q20000

ADR Not regulated as a dangerous good **IMDG** Not regulated as a dangerous good **IATA** Not regulated as a dangerous good

14.4 Packing group

ADR Not regulated as a dangerous good

Remarks If transported within the user's premises: To be transported

> always in closed, upright and safe containers. Make sure that persons handling these containers are aware of the rules of

conduct in case of incident or spillage.

IMDG Not regulated as a dangerous good IATA (Cargo) Not regulated as a dangerous good IATA (Passenger) Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Remarks If transported within the user's premises: To be transported

> always in closed, upright and safe containers. Make sure that persons handling these containers are aware of the rules of

conduct in case of incident or spillage.

Not classified as dangerous in the meaning of transport regu-

lations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

lowing entries should be considered: Number on list 20: 26401-97-8

Conditions of restriction for the fol-

UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation

Not applicable

UK REACH List of substances subject to authorisation

Not applicable

(Annex XIV)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Commercial Product Name: ALEXIT-BR7R31-BladeRep Profile Filler

Revision Date 07.03.2025 Print Date 07.03.2025

Version 3

Quality No.: 5917R31SK3000

consisting of the components:

Commercial Product Name: ALEXIT-BladeRep Profile Filler 7R / Quality No.:

4917R31SK3000

Commercial Product Name: ALEXIT-BladeRep Hardener 7 / Quality No.:

4957H90Q20000

Volatile organic compounds

Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 0.04 %, 0.7 g/l

Other regulations:

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to new and expectant mothers at work contained in Regulation 16 to 18) and of the Pregnant Workers Directive 92/85/EEC.

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to protection of young people at work contained in Regulation 19) and of Directive 94/33/EC on the protection of young people at work.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for the mixture.

SECTION 16: Other information

Full text of H-Statements

H302 Harmful if swallowed. H315 Causes skin irritation.

May cause an allergic skin reaction. H317

Suspected of damaging fertility. Suspected of damaging the H361fd

unborn child.

H412 Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. Acute toxicity

Aquatic Chronic Long-term (chronic) aquatic hazard

Repr. Reproductive toxicity Skin Irrit. Skin irritation

Skin Sens. Skin sensitisation

GB EH40 UK. EH40 WEL - Workplace Exposure Limits

GB EH40 / TWA Long-term exposure limit (8-hour TWA reference period) GB EH40 / STEL Short-term exposure limit (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways: ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regula-

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Revision Date 07.03.2025 Print Date 07.03.2025

Version 3

Commercial Product Name: ALEXIT-BR7R31-BladeRep Profile Filler

Quality No.: 5917R31SK3000

consisting of the components:

Commercial Product Name: ALEXIT-BladeRep Profile Filler 7R / Quality No.:

4917R31SK3000

Commercial Product Name: ALEXIT-BladeRep Hardener 7 / Quality No.:

4957H90Q20000

tion (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Other information

The information given in this material safety data sheet does not release the user from its duty of risk assessment and control in the work place defined in other health and safety law. Adhere to the national sanitary and occupational safety requlations when using this product.

This safety datasheet complies with the requirements of regulation (EC) No 1907/2006(2020/878).

Department issuing safety data sheet

UMCO GmbH Georg-Wilhelm-Str.187, D-21107 Hamburg

Telefon: +49(0)40/555 546 300 Fax: +49(0)40/555 546 357

e-mail:umco@umco.de

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Revision Date 07.03.2025

Print Date 07.03.2025

Version 3

Commercial Product Name: ALEXIT-BR7R31-BladeRep Profile Filler

Quality No.: 5917R31SK3000

consisting of the components:

Commercial Product Name: ALEXIT-BladeRep Profile Filler 7R / Quality No.:

4917R31SK3000

Commercial Product Name: ALEXIT-BladeRep Hardener 7 / Quality No.:

4957H90Q20000

to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB/EN

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : ALEXIT-BladeRep Hardener 7 90Q2 schwarz / black

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-: Industrial serial painting

stance/Mixture

1.3 Details of the supplier of the safety data sheet

Mankiewicz Gebr. & Co. (GmbH & Co. KG)

Georg-Wilhelm-Strasse 189

21107 Hamburg

Germany

Only for UK:

Supplied by Mankiewicz UK LLP 26 Ashville Way, Whetstone,

Leicester LE8 6NU

United Kingdom

Telephone

E-mail address of person responsible for the SDS

+49 (0) 40 75103 0

sdb info@umco.de

1.4 Emergency telephone number

Emergency telephone num-+44 1865 407333 (NCEC)

ber

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4 H332: Harmful if inhaled.

Skin sensitisation, Category 1 H317: May cause an allergic skin reaction.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Revision Date 07.03.2025

Print Date 07.03.2025

Version 3

Commercial Product Name: ALEXIT-BR7R31-BladeRep Profile Filler

7R

Quality No.: 5917R31SK3000

consisting of the components:

Commercial Product Name: ALEXIT-BladeRep Profile Filler 7R / Quality No.:

4917R31SK3000

Commercial Product Name: ALEXIT-BladeRep Hardener 7 / Quality No.:

4957H90Q20000

Specific target organ toxicity - single exposure, Category 3, Respiratory system

H335: May cause respiratory irritation.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms

Signal word : Warning

Hazard statements : H317 May cause an allergic skin reaction.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

Precautionary statements : Prevention:

P261 Avoid breathing mist or vapours.

P280 Wear protective gloves.

Response:

P304 + P340 + P312 IF INHALED: Remove person to fresh

air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.

P333 + P313 If skin irritation or rash occurs: Get medical

advice/ attention.

P362 + P364 Take off contaminated clothing and wash it

before reuse.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container

tightly closed.

Hazardous components which must be listed on the label:

Hexamethylene diisocyanate, oligomers

Additional Labelling

"As from 24 August 2023 adequate training is required before industrial or professional use."

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Commercial Product Name: ALEXIT-BR7R31-BladeRep Profile Filler

Quality No.: 5917R31SK3000

consisting of the components:

Commercial Product Name: ALEXIT-BladeRep Profile Filler 7R / Quality No.:

4917R31SK3000

Commercial Product Name: ALEXIT-BladeRep Hardener 7 / Quality No.:

4957H90Q20000

Print Date 07.03.2025 Version 3

Revision Date 07.03.2025

Ecological information: This substance/mixture does not contain components considered to have endocrine disrupting properties for environment according to UK REACH Article 57(f).

Toxicological information: This substance/mixture does not contain components considered to have endocrine disrupting properties for human health according to UK REACH Article 57(f),

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature Hardener based on polyisocyanates

Components

	Chemical name	CAS-No.	Classification	Concentration
		EC-No.		(% w/w)
		Index-No.		
		Registration number		
	Hexamethylene diisocyanate,	28182-81-2	Acute Tox. 4; H332	>= 40 - <= 100
	oligomers	939-340-8	Skin Sens. 1; H317	
		01-2119970543-34	STOT SE 3; H335	
			(Respiratory system)	
The	se contain:			
	hexamethylene-di-isocyanate	822-06-0	Acute Tox. 4; H302	> 0.25 - <= 0.5
		212-485-8	Acute Tox. 1; H330	
		615-011-00-1	Skin Irrit. 2; H315	
		01-2119457571-37	Eye Irrit. 2; H319	
			Resp. Sens. 1; H334	
			Skin Sens. 1; H317	
			STOT SE 3; H335	
			(Respiratory system)	
			specific concentration limit	
			Resp. Sens. 1; H334 >= 0.5 % Skin Sens. 1; H317 >= 0.5 %	
		1	1	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice In all cases of doubt, or when sickness symptoms persist,

seek medical attention.

Never give anything by mouth to an unconscious person.

If inhaled Remove to fresh air, keep patient warm and at rest.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Revision Date 07.03.2025 Print Date 07.03.2025

Version 3

Commercial Product Name: ALEXIT-BR7R31-BladeRep Profile Filler

Quality No.: 5917R31SK3000

consisting of the components:

Commercial Product Name: ALEXIT-BladeRep Profile Filler 7R / Quality No.:

4917R31SK3000

Commercial Product Name: ALEXIT-BladeRep Hardener 7 / Quality No.:

4957H90Q20000

Irregular breathing/no breathing: artificial respiration.

If unconscious place in recovery position and seek medical

advice.

In case of skin contact Take off all contaminated clothing immediately.

Wash skin thoroughly with soap and water or use recognised

skin cleanser.

Do NOT use solvents or thinners!

In case of eye contact Remove contact lenses, irrigate copiously with clean, fresh

water for at least 10 minutes, holding the eyelids apart and

seek medical advice.

If swallowed Do NOT induce vomiting.

> If accidentally swallowed obtain immediate medical attention. Never give anything by mouth to an unconscious person.

Keep at rest.

4.2 Most important symptoms and effects, both acute and delayed

Risks May cause an allergic skin reaction.

Harmful if inhaled.

May cause respiratory irritation.

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Alcohol resistant foam, CO2, powders

Unsuitable extinguishing

media

High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Fire will produce dense black smoke. Exposure to decomposi-

tion products may cause a health hazard.

5.3 Advice for firefighters

Special protective equipment:

for firefighters

Appropriate breathing apparatus may be required.

Further information Cool endangered containers with water in case of fire.

DO NOT ALLOW RUN-OFF FROM FIRE FIGHTING TO

ENTER DRAINS OR WATER COURSES!!

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Revision Date 07.03.2025 Print Date 07.03.2025

Version 3

Commercial Product Name: ALEXIT-BR7R31-BladeRep Profile Filler

Quality No.: 5917R31SK3000

consisting of the components:

Commercial Product Name: ALEXIT-BladeRep Profile Filler 7R / Quality No.:

Commercial Product Name: ALEXIT-BladeRep Hardener 7 / Quality No.:

4957H90Q20000

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions Exclude sources of ignition and ventilate the area.

Do not inhale vapours.

Refer to protective measures listed in sections 7 and 8. Immediately clean contaminated areas with following sub-

stances:

Water 45 Vol.% Ethanol or Isopropyl Alcohol 50 Vol.% Ammonia solution (density=0,88) 5 Vol.%

Alternative applicable to that (not flammable): Sodium Carbonate 5 Vol.% Water 95 Vol.%

6.2 Environmental precautions

Environmental precautions Do not let product enter drains.

> If the product contaminates lakes, rivers or sewage, inform appropriate authorities in accordance with local regulations. Add the same decontaminant to the remnants and let stand for several days until no further reaction in non-sealed container. Once this stage is reached, close container and dis-

pose according to local regulations.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up Contain and collect spillage with non-combustible absorbent

materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regula-

tions (see chapter 13).

Clean preferably with a detergent; avoid use of solvents.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling Persons with a history of asthma, allergies, chronic or recur-

rent respiratory disease should not be employed in any pro-

cess in which this preparation is used!

Comply with the health and safety at work laws.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Advice on protection against Preparation may charge electrostatically: always use earthing

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Revision Date 07.03.2025

Print Date 07.03.2025

Version 3

Commercial Product Name: ALEXIT-BR7R31-BladeRep Profile Filler

Quality No.: 5917R31SK3000

consisting of the components:

Commercial Product Name: ALEXIT-BladeRep Profile Filler 7R / Quality No.:

4917R31SK3000

Commercial Product Name: ALEXIT-BladeRep Hardener 7 / Quality No.:

4957H90Q20000

fire and explosion

leads whentransferring from one container to another.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Keep container tightly closed. Never use pressure to empty: container isnot a pressure vessel. No smoking. Prevent unauthorized access. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Further information on stor-

age conditions

Always keep in containers of same material as the original one. See also instructions on the label. Avoid heating and direct sunlight. Keep container dry in a cool, well-ventilated place. Precautions should be taken to minimise exposure to atmospheric humidityor water: CO2 will be formed which in

closed containers can result in pressurisation.

Advice on common storage

Keep away from oxidizing agents and strongly acid or alkaline

materials.

Recommended storage tem- :

perature

5 - 35 °C

7.3 Specific end use(s)

Specific use(s) This information is not available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Hexamethylene diisocyanate, oligomers	28182-81-2	TWA	0.02 mg/m3 (NCO)	GB EH40
	known as astherific airway hy anism. Once to the substance symptoms. The asthma. Not a responsive and become hype should be distasthma in personal include the	82-81-2 TWA 0.02 mg/m3 C		a state of spe- or other mech- er exposure to espiratory y nose to come hyper- o are likely to ational asthma e symptoms of is, but which do not classified

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Revision Date 07.03.2025

Print Date 07.03.2025

Version 3

Commercial Product Name: ALEXIT-BR7R31-BladeRep Profile Filler

Quality No.: 5917R31SK3000

consisting of the components:

Commercial Product Name: ALEXIT-BladeRep Profile Filler 7R / Quality No.:

4917R31SK3000

Commercial Product Name: ALEXIT-BladeRep Hardener 7 / Quality No.:

4957H90Q20000

the HSE publication Asthmagen? Critical assessments of the evidence for agents implicated in occupational asthma., Wherever it is reasonably practicable, exposure to substances that can cause occupational asthma should be prevented. Where this is not possible, the primary aim is to apply adequate standards of control to prevent workers from becoming hyper-responsive. For substances that can cause occupational asthma, COSHH requires that exposure be reduced to as low as is reasonably practicable. Activities giving rise to short-term peak concentrations should receive particular attention when risk management is being considered. Health surveillance is appropriate for all employees exposed or liable to be exposed to a substance which may cause occupational asthma and there should be appropriate consultation with an occupational health professional over the degree of risk and level of surveillance., Capable of causing occupational asthma., The 'Sen' notation in the list of WELs has been assigned only to those substances which may cause occupational asthma in the categories shown in Table 1. It should be remembered that other substances not in these tables may cause occupational asthma. HSE's asthma web pages (www.hse.gov.uk/asthma) provide further information.

> STEL GB EH40 0.07 ma/m3 (NCO)

Further information: Substances that can cause occupational asthma (also known as asthmagens and respiratory sensitisers) can induce a state of specific airway hyper-responsiveness via an immunological irritant or other mechanism. Once the airways have become hyper-responsive, further exposure to the substance, sometimes even in tiny quantities, may cause respiratory symptoms. These symptoms can range in severity from a runny nose to asthma. Not all workers who are exposed to a sensitiser will become hyperresponsive and it is impossible to identify in advance those who are likely to become hyper-responsive. Substances that can cause occupational asthma should be distinguished from substances which may trigger the symptoms of asthma in people with pre-existing airway hyper-responsiveness, but which do not include the disease themselves. The latter substances are not classified as asthmagens or respiratory sensitisers. Further information can be found in the HSE publication Asthmagen? Critical assessments of the evidence for agents implicated in occupational asthma., Wherever it is reasonably practicable, exposure to substances that can cause occupational asthma should be prevented. Where this is not possible, the primary aim is to apply adequate standards of control to prevent workers from becoming hyper-responsive. For substances that can cause occupational asthma. COSHH requires that exposure be reduced to as low as is reasonably practicable. Activities giving rise to short-term peak concentrations should receive particular attention when risk management is being considered. Health surveillance is appropriate for all employees exposed or liable to be exposed to a substance which may cause occupational asthma and there should be appropriate consultation with an occupational health professional over the degree of risk and level of surveillance., Capable of causing occupational asthma., The 'Sen' notation in the list of WELs has been assigned only to those substances which may cause occupational asthma in the categories shown in Table 1. It should be remembered that other substances not in these tables may cause occupational asthma. HSE's asthma web pages (www.hse.gov.uk/asthma) provide further infor-

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Commercial Product Name: ALEXIT-BR7R31-BladeRep Profile Filler

Quality No.: 5917R31SK3000

consisting of the components:
Commercial Product Name: ALEXIT-BladeRep Profile Filler 7R / Quality No.:

Commercial Product Name: ALEXIT-BladeRep Hardener 7 / Quality No.:

4957H90Q20000

Revision Date 07.03.2025 Print Date 07.03.2025 Version 3

	mation.	T-10/0	1000 / 0	
hexamethylene-di-	822-06-0	TWA	0.02 mg/m3	GB EH40
isocyanate		1	(NCO)	
			ces that can cause occu	
				an induce a state of spe-
				ical irritant or other mech
				nsive, further exposure to
			en in tiny quantities, ma	
			can range in severity fr	
			are exposed to a sensit	
				those who are likely to
				use occupational asthma
				trigger the symptoms of
				onsiveness, but which d
				ances are not classified
				ormation can be found in
			gen? Critical assessmer	
			ional asthma., Whereve	
				pational asthma should b
			possible, the primary air	
				ng hyper-responsive. Fo
				SHH requires that expo
				ole. Activities giving rise t
				cular attention when risk
			ered. Health surveillanc	
			re should be appropriate	stance which may cause
			onal over the degree of r	
				ne 'Sen' notation in the lis
				es which may cause occu
				It should be remembered
			these tables may cause	
			ww.hse.gov.uk/asthma)	
	mation.	a web pages (w	ww.nse.gov.uk/astiinia/	provide farther linor-
	mation.	STEL	0.07 mg/m3	GB EH40
		SILL	(NCO)	GB El 140
	Further inform	nation: Substan	ces that can cause occu	Inational asthma (also
				an induce a state of spe
	cific airway hyper-responsiveness via an immunological irritant or other mechanism. Once the airways have become hyper-responsive, further exposure to			
	the substance, sometimes even in tiny quantities, may cause respiratory symptoms. These symptoms can range in severity from a runny nose to			
	, ,	, ,	are exposed to a sensit	,
				those who are likely to
				use occupational asthma
				trigger the symptoms of
				onsiveness, but which d
	not include the disease themselves. The latter substances are not classified as asthmagens or respiratory sensitisers. Further information can be found in the HSE publication Asthmagen? Critical assessments of the evidence for			

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Revision Date 07.03.2025 Print Date 07.03.2025

Version 3

Commercial Product Name: ALEXIT-BR7R31-BladeRep Profile Filler

Quality No.: 5917R31SK3000

consisting of the components:

Commercial Product Name: ALEXIT-BladeRep Profile Filler 7R / Quality No.:

4917R31SK3000

Commercial Product Name: ALEXIT-BladeRep Hardener 7 / Quality No.:

4957H90Q20000

agents implicated in occupational asthma., Wherever it is reasonably practicable, exposure to substances that can cause occupational asthma should be prevented. Where this is not possible, the primary aim is to apply adequate standards of control to prevent workers from becoming hyper-responsive. For substances that can cause occupational asthma, COSHH requires that exposure be reduced to as low as is reasonably practicable. Activities giving rise to short-term peak concentrations should receive particular attention when risk management is being considered. Health surveillance is appropriate for all employees exposed or liable to be exposed to a substance which may cause occupational asthma and there should be appropriate consultation with an occupational health professional over the degree of risk and level of surveillance., Capable of causing occupational asthma., The 'Sen' notation in the list of WELs has been assigned only to those substances which may cause occupational asthma in the categories shown in Table 1. It should be remembered that other substances not in these tables may cause occupational asthma. HSE's asthma web pages (www.hse.gov.uk/asthma) provide further information.

Biological occupational exposure limits

Substance name	CAS-No.	Control parameters	Sampling time	Basis
Hexamethylene diisocya-	28182-81-2	isocyanate-derived	At the end of the	GB EH40
nate, oligomers		diamine (Isocya-	period of exposure	BAT
_		nates): 1 µmol/mol		
		creatinine		
		(Urine)		

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006

Substance name	End Use	Exposure routes	Potential health effects	Value
Hexamethylene diiso- cyanate, oligomers	Workers	Inhalation	Long-term local ef- fects	0.5 mg/m3

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006

Substance name	Environmental Compartment	Value
Hexamethylene diisocyanate,	Sewage treatment plant	6.46 mg/l
oligomers		

8.2 Exposure controls

Engineering measures

Provide adequate ventilation. Where reasonably practicable this shoul be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and below the OEL (= Occupational Exposure Limit), suitable respiratory protection must be worn.

Personal protective equipment

Eye/face protection Wear safety goggles to protect against splashes.

Hand protection

Remarks Adhere to the professional organisation rule "Use of protec-

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Commercial Product Name: ALEXIT-BR7R31-BladeRep Profile Filler

Quality No.: 5917R31SK3000

consisting of the components:

Commercial Product Name: ALEXIT-BladeRep Profile Filler 7R / Quality No.:

4917R31SK3000

Commercial Product Name: ALEXIT-BladeRep Hardener 7 / Quality No.:

4957H90Q20000

Revision Date 07.03.2025 Print Date 07.03.2025 Version 3

tive gloves". Appropriate chemicals resistant glove tested in compliance with EN 374.

Recommendation for protection against components generally found in the products:

For short-term contact (i.e. splash protection):

Appropriate material: nitrile rubber, Neoprene

Material thickness: > 0,4 mm Breakthrough time: > 480 min

Before use, the protective glove should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Preventive hand protection (skin protection cream) recommended. Wash immediately contaminated skin. Design operations thus to avoid permanent use of protective gloves.

Skin and body protection

Clothing as usual in the chemical industry. Skin should be washed after contact.

Respiratory protection

By spraying: air-fed respirator.

By other operations than spraying: in well ventilated areas, air-fed respirators could be replaced by a combination of

charcoal filter andparticulate filter mask Use half-mask model with cartridge or air-fed.

Protective measures

Persons with a history of asthma, allergies, chronic or recur-

rent respiratory disease should not be employed in any pro-

cess in which this preparation is used.

Do not eat or drink during work - no smoking. Avoid product contact with skin, eves and clothing.

Avoid the inhalation of dust from sanding, particulates and spray mist arising from the application of this preparation.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

liquid (20 - 25 °C, 1,013 hPa) Physical state

Colour according product name

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Revision Date 07.03.2025 Print Date 07.03.2025

Version 3

Commercial Product Name: ALEXIT-BR7R31-BladeRep Profile Filler

Quality No.: 5917R31SK3000

consisting of the components: Commercial Product Name: ALEXIT-BladeRep Profile Filler 7R / Quality No.:

4917R31SK3000

Commercial Product Name: ALEXIT-BladeRep Hardener 7 / Quality No.:

4957H90Q20000

Odour characteristic

Melting point/ range No data available

Boiling point/boiling range ca. 120 °C

Upper explosion limit No data available

Lower explosion limit No data available

Flash point > 120 °C

Method: ISO 13736

Auto-ignition temperature No data available

Decomposition temperature No data available

pΗ substance/mixture reacts with water

Viscosity

Viscosity, kinematic $: > 21 \text{ mm}^2/\text{s}$

Flow time > 151 s

> Cross section: 4 mm Method: DIN 53211

> 101 s

Cross section: 6 mm Method: ISO 2431

Solubility(ies)

Water solubility insoluble

Vapour pressure ca. 100 hPa (50 °C)

Density ca. 1.1 g/cm3 (20 °C)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Revision Date 07.03.2025 Print Date 07.03.2025

Version 3

Commercial Product Name: ALEXIT-BR7R31-BladeRep Profile Filler

7R

Quality No.: 5917R31SK3000

consisting of the components:

Commercial Product Name: ALEXIT-BladeRep Profile Filler 7R / Quality No.:

4917R31SK3000

Commercial Product Name: ALEXIT-BladeRep Hardener 7 / Quality No.:

4957H90Q20000

Relative vapour density : No data available

9.2 Other information

Flammability (liquids) : No data available

Miscibility with water : immiscible

Solvent separation : < 3 %(V)

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid : Stable under recommended storage and handling conditions

(See section 7).

10.5 Incompatible materials

Materials to avoid : Keep away from oxidizing agents, strongly alkaline and

strongly acid materials in order to avoid exothermic reactions. The product reacts slowly with water resulting in evolution of carbon dioxide. In closed containers, pressure build up could result distortion blowing and in extreme cases bursting of the

container.

10.6 Hazardous decomposition products

In a fire, hazardous decomposition products, such as smoke, carbon monoxide, carbon dioxiode, oxides of nitrogen, hydrogen cyanide, monomers of isocyanates, amines and alcohols may be produced.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Revision Date 07.03.2025 Print Date 07.03.2025

Version 3

Commercial Product Name: ALEXIT-BR7R31-BladeRep Profile Filler

Quality No.: 5917R31SK3000

consisting of the components:

Commercial Product Name: ALEXIT-BladeRep Profile Filler 7R / Quality No.:

Commercial Product Name: ALEXIT-BladeRep Hardener 7 / Quality No.:

4957H90Q20000

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Harmful if inhaled.

Product:

Acute inhalation toxicity Assessment: The substance/mixture is not toxic on inhalation

as defined by dangerous goods regulations.

Acute toxicity estimate: 11.18 mg/l

Exposure time: 4 h Test atmosphere: vapour Method: Calculation method

Components:

Hexamethylene diisocyanate, oligomers:

Acute inhalation toxicity Assessment: The substance/mixture is not toxic on inhalation

as defined by dangerous goods regulations.

Skin corrosion/irritation

Not classified due to lack of data.

Serious eye damage/eye irritation

Not classified due to lack of data.

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified due to lack of data.

Components:

Hexamethylene diisocyanate, oligomers:

Species

May cause sensitisation by skin contact. Assessment

Method **OECD Test Guideline 429**

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Not classified due to lack of data.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Revision Date 07.03.2025

Print Date 07.03.2025

Version 3

Commercial Product Name: ALEXIT-BR7R31-BladeRep Profile Filler

Quality No.: 5917R31SK3000

consisting of the components:

Commercial Product Name: ALEXIT-BladeRep Profile Filler 7R / Quality No.:

4917R31SK3000

Commercial Product Name: ALEXIT-BladeRep Hardener 7 / Quality No.:

4957H90Q20000

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

May cause respiratory irritation.

Components:

Hexamethylene diisocyanate, oligomers:

Assessment May cause respiratory irritation.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Assessment This substance/mixture does not contain components consid-

ered to have endocrine disrupting properties for human health

according to UK REACH Article 57(f),

Further information

Product:

Remarks Exposure of vapour concentration in excess of the stated

> OEL's may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on kidney, liver and central nervous system. Symptoms and signs include headache, dizziness, fatigue muscular weakness, drowsiness and in extrem cases, loss of con-

sciousness.

Based on the properties of the isocyanate components and considering toxicological data on similar preparations: This preparation may cause acute irritation and/or sensitization of the respiratory system leading to an asthmatic condition, wheeziness and a thightness of the chest. Sensitized persons may subsequently show asthmatic symptoms when exposed to atmospheric concentrations well below the OEL. Repeated exposure may lead to permanent respiratory disability.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Revision Date 07.03.2025

Print Date 07.03.2025

Version 3

Commercial Product Name: ALEXIT-BR7R31-BladeRep Profile Filler

/R

Quality No.: 5917R31SK3000

consisting of the components:

Commercial Product Name: ALEXIT-BladeRep Profile Filler 7R / Quality No.:

4917R31SK3000

Commercial Product Name: ALEXIT-BladeRep Hardener 7 / Quality No.:

4957H90Q20000

The liquid splashed in the eyes may cause irritation and re-

SECTION 12: Ecological information

12.1 Toxicity

Product:

Ecotoxicology Assessment

Acute aquatic toxicity : There are no data available on the preparation itself.

versible damage.

12.2 Persistence and degradability

Product:

Biodegradability : Remarks: There are no data available on the preparation it-

selt.

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: There are no data available on the preparation it-

self.

12.4 Mobility in soil

Product:

Mobility : Remarks: There are no data available on the preparation it-

self.

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Revision Date 07.03.2025 Print Date 07.03.2025

Version 3

Commercial Product Name: ALEXIT-BR7R31-BladeRep Profile Filler

Quality No.: 5917R31SK3000

consisting of the components:

Commercial Product Name: ALEXIT-BladeRep Profile Filler 7R / Quality No.:

4917R31SK3000

Commercial Product Name: ALEXIT-BladeRep Hardener 7 / Quality No.:

4957H90Q20000

12.6 Endocrine disrupting properties

Product:

Assessment The substance/mixture does not contain components consid-

> ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Assessment This substance/mixture does not contain components consid-

ered to have endocrine disrupting properties for environment

according to UK REACH Article 57(f).

12.7 Other adverse effects

Product:

Additional ecological infor-

mation

There are no data available on the preparation itself.

The product should not be allowed to enter drains or water

courses.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product Dispose of in accordance with local regulations.

Contaminated packaging Contaminated packaging should be emptied as far as possible

and after appropriate cleansing may be taken for reuse. Packaging that cannot be cleaned should be disposed off in agreement with the regional waste disposal company.

SECTION 14: Transport information

14.1 UN number or ID number

ADR Not regulated as a dangerous good **IMDG** Not regulated as a dangerous good IATA Not regulated as a dangerous good

14.2 UN proper shipping name

ADR Not regulated as a dangerous good **IMDG** Not regulated as a dangerous good IATA Not regulated as a dangerous good

14.3 Transport hazard class(es)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Revision Date 07.03.2025

Print Date 07.03.2025

Version 3

Commercial Product Name: ALEXIT-BR7R31-BladeRep Profile Filler

Quality No.: 5917R31SK3000

consisting of the components:

Commercial Product Name: ALEXIT-BladeRep Profile Filler 7R / Quality No.:

4917R31SK3000

Commercial Product Name: ALEXIT-BladeRep Hardener 7 / Quality No.:

4957H90Q20000

ADR Not regulated as a dangerous good **IMDG** Not regulated as a dangerous good IATA Not regulated as a dangerous good

14.4 Packing group

ADR Not regulated as a dangerous good

Remarks If transported within the user's premises: To be transported

> always in closed, upright and safe containers. Make sure that persons handling these containers are aware of the rules of

conduct in case of incident or spillage.

IMDG Not regulated as a dangerous good IATA (Cargo) Not regulated as a dangerous good IATA (Passenger) Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Remarks If transported within the user's premises: To be transported

> always in closed, upright and safe containers. Make sure that persons handling these containers are aware of the rules of

conduct in case of incident or spillage.

Not classified as dangerous in the meaning of transport regu-

lations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

Conditions of restriction for the following entries should be considered:

Number on list 3

Number on list 74: 822-06-0

Not applicable

UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation

UK REACH List of substances subject to authorisation

Not applicable

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Revision Date 07.03.2025 Print Date 07.03.2025

Version 3

Commercial Product Name: ALEXIT-BR7R31-BladeRep Profile Filler

Quality No.: 5917R31SK3000

consisting of the components:

Commercial Product Name: ALEXIT-BladeRep Profile Filler 7R / Quality No.:

4917R31SK3000

Commercial Product Name: ALEXIT-BladeRep Hardener 7 / Quality No.:

4957H90Q20000

(Annex XIV)

Volatile organic compounds

Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 0.49 %, 5 g/l

Other regulations:

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to new and expectant mothers at work contained in Regulation 16 to 18) and of the Pregnant Workers Directive 92/85/EEC.

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to protection of young people at work contained in Regulation 19) and of Directive 94/33/EC on the protection of young people at work.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for the mixture.

SECTION 16: Other information

Full text of H-Statements

H302 Harmful if swallowed. H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

Full text of other abbreviations

Acute Tox. Acute toxicity Skin Sens. Skin sensitisation

STOT SE Specific target organ toxicity - single exposure GB EH40 UK. EH40 WEL - Workplace Exposure Limits GB EH40 BAT UK. Biological monitoring guidance values

Long-term exposure limit (8-hour TWA reference period) GB EH40 / TWA Short-term exposure limit (15-minute reference period) GB EH40 / STEL

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Test-

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Commercial Product Name: ALEXIT-BR7R31-BladeRep Profile Filler

Quality No.: 5917R31SK3000

consisting of the components:

Commercial Product Name: ALEXIT-BladeRep Profile Filler 7R / Quality No.:

4917R31SK3000

Commercial Product Name: ALEXIT-BladeRep Hardener 7 / Quality No.:

4957H90Q20000

Revision Date 07.03.2025 Print Date 07.03.2025 Version 3

ing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Other information

The information given in this material safety data sheet does not release the user from its duty of risk assessment and control in the work place defined in other health and safety law. Adhere to the national sanitary and occupational safety regulations when using this product.

This safety datasheet complies with the requirements of regulation (EC) No 1907/2006(2020/878).

Classification of the mixture:

Classification procedure:

Acute Tox. 4 H332 Calculation method Skin Sens. 1 Calculation method H317 STOT SE 3 H335 Calculation method

Department issuing safety data sheet

UMCO GmbH

Georg-Wilhelm-Str.187, D-21107 Hamburg

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Revision Date 07.03.2025 Print Date 07.03.2025

Version 3

Commercial Product Name: ALEXIT-BR7R31-BladeRep Profile Filler

7R

Quality No.: 5917R31SK3000

consisting of the components:

Commercial Product Name: ALEXIT-BladeRep Profile Filler 7R / Quality No.:

4917R31SK3000

Commercial Product Name: ALEXIT-BladeRep Hardener 7 / Quality No.:

4957H90Q20000

Telefon: +49(0)40/555 546 300 Fax: +49(0)40/555 546 357

e-mail:umco@umco.de

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB/EN